

CALCEPH Library

Reference manual
version 2.3.2
10 January 2017

M. Gastineau, J. Laskar, A. Fienga, H. Manche
inpop.imcce@obspm.fr

This manual documents how to install and use the CALCEPH Library, version 2.3.2.

Copyright © 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, CNRS - Observatoire de la Côte d'Azur

Contributed by

M. Gastineau, J. Laskar, H. Manche, Astronomie et Systèmes Dynamiques, IMCCE, CNRS, Observatoire de Paris, UPMC

A. Fienga, Observatoire de la Côte d'Azur

`inpop.imcce@obspm.fr`

Table of Contents

| | | |
|----------|--|-----------|
| 1 | CALCEPH Library Copying conditions | 1 |
| 2 | Introduction to CALCEPH Library | 2 |
| 3 | Installing CALCEPH Library | 3 |
| 3.1 | Quick instructions for installing on a Unix-like system (Linux, Mac OS X, BSD, cygwin, ...) | 3 |
| 3.2 | Detailed instructions for installing on a Unix-like system (Linux, Mac OS X, BSD, cygwin, ...) | 3 |
| 3.2.1 | Other ‘make’ Targets | 5 |
| 3.3 | Installation on Windows system | 5 |
| 3.3.1 | Using the Windows SDK | 5 |
| 3.3.2 | Using the MinGW | 7 |
| 4 | Reporting bugs | 9 |
| 5 | CALCEPH Library Interface | 10 |
| 5.1 | C Usage | 10 |
| 5.1.1 | Headers and Libraries | 10 |
| 5.1.1.1 | Compilation on a Unix-like system | 10 |
| 5.1.1.2 | Compilation on a Windows system | 10 |
| 5.1.2 | Constants | 10 |
| 5.1.3 | Types | 12 |
| 5.2 | Fortran 2003 Usage | 12 |
| 5.2.1 | Modules and Libraries | 12 |
| 5.2.2 | Compilation on a Unix-like system | 12 |
| 5.2.3 | Compilation on a Windows system | 12 |
| 5.2.4 | Constants | 12 |
| 5.3 | Fortran 77/90/95 Usage | 13 |
| 5.3.1 | Headers and Libraries | 13 |
| 5.3.2 | Compilation on a Unix-like system | 13 |
| 5.3.3 | Compilation on a Windows system | 14 |
| 5.3.4 | Constants | 14 |
| 5.4 | Python 2/3 Usage | 15 |
| 5.4.1 | Modules | 15 |
| 5.4.2 | Types | 15 |
| 5.4.3 | Constants | 15 |
| 5.4.4 | A simple example program | 16 |
| 5.5 | Multiple file access functions | 16 |
| 5.5.1 | Thread notes | 17 |
| 5.5.2 | Usage | 17 |

| | | |
|---|--|-----------|
| 5.5.3 | Functions | 19 |
| 5.5.3.1 | calceph_open | 19 |
| 5.5.3.2 | calceph_open_array | 20 |
| 5.5.3.3 | calceph_prefetch | 21 |
| 5.5.3.4 | calceph_compute | 22 |
| 5.5.3.5 | calceph_compute_unit | 24 |
| 5.5.3.6 | calceph_orient_unit | 27 |
| 5.5.3.7 | calceph_compute_order | 29 |
| 5.5.3.8 | calceph_orient_order | 32 |
| 5.5.3.9 | calceph_getconstant | 35 |
| 5.5.3.10 | calceph_getconstantcount | 36 |
| 5.5.3.11 | calceph_getconstantindex | 37 |
| 5.5.3.12 | calceph_close | 38 |
| 5.6 | Single file access functions | 39 |
| 5.6.1 | Thread notes | 39 |
| 5.6.2 | Usage | 39 |
| 5.6.3 | Functions | 41 |
| 5.6.3.1 | calceph_sopen | 41 |
| 5.6.3.2 | calceph_scompute | 42 |
| 5.6.3.3 | calceph_sgetconstant | 44 |
| 5.6.3.4 | calceph_sgetconstantcount | 45 |
| 5.6.3.5 | calceph_sgetconstantindex | 45 |
| 5.6.3.6 | calceph_sclose | 46 |
| 5.7 | Error functions | 47 |
| 5.7.1 | Usage | 47 |
| 5.7.2 | calceph_seterrorhandler | 49 |
| 5.8 | Miscellaneous functions | 50 |
| 5.8.1 | calceph_getversion_str | 50 |
| Appendix A NAIF identification numbers | | 51 |
| A.1 | NAIF identification numbers for the Sun and planetary barycenters | 51 |
| A.2 | NAIF identification numbers for the Coordinate Time ephemerides | 51 |
| A.3 | NAIF identification numbers for the planet centers and satellites | 51 |
| A.4 | NAIF identification numbers for the comets | 55 |
| Appendix B Release notes | | 59 |

1 CALCEPH Library Copying conditions

Copyright © 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, CNRS - Observatoire de la Côte d'Azur

Contributed by

M. Gastineau, J. Laskar, H. Manche, Astronomie et Systèmes Dynamiques, IMCCE, CNRS, Observatoire de Paris, UPMC

A. Fienga, Observatoire de la Côte d'Azur

`inpop.imcce@obspm.fr`

This library is governed by the CeCILL-C, CeCILL-B or CeCILL version 2 license under French law and abiding by the rules of distribution of free software. You can use, modify and/or redistribute the software under the terms of the CeCILL-C, CeCILL-B or CeCILL version 2 license as circulated by CEA, CNRS and INRIA at the following URL "<http://www.cecill.info>".

As a counterpart to the access to the source code and rights to copy, modify and redistribute granted by the license, users are provided only with a limited warranty and the software's author, the holder of the economic rights, and the successive licensors have only limited liability.

In this respect, the user's attention is drawn to the risks associated with loading, using, modifying and/or developing or reproducing the software by the user in light of its specific status of free software, that may mean that it is complicated to manipulate, and that also therefore means that it is reserved for developers and experienced professionals having in-depth computer knowledge. Users are therefore encouraged to load and test the software's suitability as regards their requirements in conditions enabling the security of their systems and/or data to be ensured and, more generally, to use and operate it in the same conditions as regards security.

The fact that you are presently reading this means that you have had knowledge of the CeCILL-C, CeCILL-B or CeCILL version 2 license and that you accept its terms.

2 Introduction to CALCEPH Library

This library is designed to access the binary planetary ephemeris files, such INPOPxx and JPL DExxx ephemeris files, (called 'original JPL binary' or 'INPOP 2.0 binary' ephemeris files in the next sections) and the SPICE kernel files (called 'SPICE' ephemeris files in the next sections). At the moment, supported SPICE files are :

- text Planetary Constants Kernel (KPL/PCK) files
- binary PCK (DAF/PCK) files.
- binary SPK (DAF/SPK) files containing segments of type 1, 2, 3, 12, 13, 20, 102, 103 and 120.
- meta kernel (KPL/MK) files.
- frame kernel (KPL/FK) files. Only a basic support is provided.

This library provides a C interface and, optionnally, the Fortran 77 or 2003 and Python interfaces, an to be called by the application.

Two groups of functions enable the access to the ephemeris files :

- Single file access functions
These functions provide access to only one ephemeris file at the same time. They are provided to make transition easier from the JPL functions, such as PLEPH, to this library.
- Multiple file access functions
These functions provide access to many ephemeris file at the same time.

This library could access to the following ephemeris

- INPOP06 or later
- DE200
- DE403 or later

Although computers have different endianness (order in which integers are stored as bytes in computer memory), the library could handle the binary ephemeris files with any endianness. This library automatically swaps the bytes when it performs read operations on the ephemeris file.

The internal format of the original JPL binary planetary ephemeris files is described in the paper : David Hoffman : 1998, A Set of C Utility Programs for Processing JPL Ephemeris Data, <ftp://ssd.jpl.nasa.gov/pub/eph/export/C-versions/hoffman/EphemUtilVer0.1.tar>

The 'INPOP 2.0 binary' file format for planetary ephemeris files is described in the paper : M. Gastineau, J. Laskar, A. Fienga, H. Manche : 2012, INPOP binary ephemeris file format - version 2.0, http://www.imcce.fr/inpop/inpop_file_format_2_0.pdf

3 Installing CALCEPH Library

3.1 Quick instructions for installing on a Unix-like system (Linux, Mac OS X, BSD, cygwin, ...)

Here are the quick steps needed to install the library on Unix systems. In the following instructions, you must replace ‘/home/mylogin/mydir’ by the directory location where you want to install calceph.

- If you use the gcc and gfortran compilers, the steps are :
 1. tar xzf calceph-2.3.2.tar.gz
 2. cd calceph-2.3.2
 3. ./configure --disable-shared CC=gcc FC=gfortran --prefix=/home/mylogin/mydir
 4. make check && make install
- If you use the Intel c++ and fortran compilers, the steps are :
 1. tar xzf calceph-2.3.2.tar.gz
 2. cd calceph-2.3.2
 3. ./configure --disable-shared CC=icc FC=ifort --prefix=/home/mylogin/mydir
 4. make check && make install
- If you use the python interface of the library, the steps are :
 1. tar xzf calceph-2.3.2.tar.gz
 2. cd calceph-2.3.2
 3. ./configure --enable-python=yes --enable-python-package-user=yes --prefix=/home/mylogin/mydir
 4. make check && make install

3.2 Detailed instructions for installing on a Unix-like system (Linux, Mac OS X, BSD, cygwin, ...)

You need a C compiler, such as gcc. A fortran compiler, compliant with the ANSI Fortran 77 specifications, is required to compile the fortran-77/90/95 interface of the library. A fortran compiler, compliant with the Fortran 2003 specifications, is required to compile the fortran-2003 interface of the library. A python interpreter, compliant at least with with the Python 2.6 or Python 3.0 specifications, is required to compile the python interface of the library. And you need a standard Unix ‘make’ program, plus some other standard Unix utility programs.

Here are the detailed steps needed to install the library on Unix systems:

1. ‘tar xzf calceph-2.3.2.tar.gz’
2. ‘cd calceph-2.3.2’
3. ‘./configure’

Running `configure` might take a while. While running, it prints some messages telling which features it is checking for.

`configure` recognizes the following options to control how it operates.

```

--enable-fortran={yes|no}
    Enable or disable the fortran-77 and fortran-2003 interface. The default is
    'yes'.

--enable-python={yes|no}
    Enable or disable the python interface. The default is 'no'.

--enable-python-package-system={yes|no}
    Enable or disable the installation of the python package to the system site-
    packages directory (e.g., /usr/lib/python3.4/sites-packages/) . The default
    is 'no'.

--enable-python-package-user={yes|no}
    Enable or disable the installation of the python package to the user site-
    packages directory (e.g., ~/.local/lib/python3.4/site-packages/) . The de-
    fault is 'no'.

--enable-thread={yes|no}
    Enable or disable the thread-safe version of the functions calceph_sopen
    and calceph_scompute. The default is 'no'.

--disable-shared
    Disable shared library.

--disable-static
    Disable static library.

--help
-h      Print a summary of all of the options to configure, and exit.

--prefix=dir
    Use dir as the installation prefix. See the command make install for the
    installation names.

```

The default compilers could be changed using the variable `CC` for C compiler, `FC` for the Fortran compiler and `PYTHON` for the python interpreter. The default compiler flags could be changed using the variable `CFLAGS` for C compiler and `FCFLAGS` for the Fortran compiler.

If `--enable-python=yes`, we recommend to set `--enable-python-package-user=yes` (or `--enable-python-package-system=yes` if you have administrative right on the system directory) in order to that the python interpreter finds the CALCEPH python package.

4. 'make'

This compiles the CALCEPH Library in the working directory.

5. 'make check'

This will make sure that the CALCEPH Library was built correctly.

If you get error messages, please report them to `inpop.imcce@obspm.fr` (See Chapter 4 [Reporting bugs], page 9, for information on what to include in useful bug reports).

6. 'make install'

This will copy the file `calceph.h`, `calceph.mod` and `f90calceph.h` to the directory `/usr/local/include`, the file `libcalceph.a`, `libcalceph.so` to the directory

`/usr/local/lib`, and the file `calceph.info` to the directory `/usr/local/share/info` (or if you passed the `--prefix` option to `configure`, using the prefix directory given as argument to `--prefix` instead of `/usr/local`). Note: you need write permissions on these directories.

If the python interface is enabled and `enable-python-package-system=yes` or `enable-python-package-user=yes`, the python package will be copied to system or user python site-package.

3.2.1 Other ‘make’ Targets

There are some other useful make targets:

- `‘calceph.info’` or `‘info’`
Create an info version of the manual, in `calceph.info`.
- `‘calceph.pdf’` or `‘pdf’`
Create a PDF version of the manual, in `calceph.pdf`.
- `‘calceph.dvi’` or `‘dvi’`
Create a DVI version of the manual, in `calceph.dvi`.
- `‘calceph.ps’` or `‘ps’`
Create a Postscript version of the manual, in `calceph.ps`.
- `‘calceph.html’` or `‘html’`
Create an HTML version of the manual, in `calceph.html`.
- `‘clean’`
Delete all object files and archive files, but not the configuration files.
- `‘distclean’`
Delete all files not included in the distribution.
- `‘uninstall’`
Delete all files copied by `‘make install’`.

3.3 Installation on Windows system

3.3.1 Using the Windows SDK

You need a C compiler, such as `cl.exe`, and a Windows SDK. A fortran compiler, compliant with the ANSI Fortran 77 specifications, is required to compile the `fortran-77/90/95` interface of the library. A fortran compiler, compliant with the Fortran 2003 specifications, is required to compile the `fortran-2003` interface of the library. It has been successfully compiled with the Windows Server 2003 R2 Platform SDK, the Windows SDK of Vista, and the Windows Server 2008 Platform SDK.

Here are the steps needed to install the library on Windows systems:

1. Expand the file `‘calceph-2.3.2.tar.gz’`
2. Execute the command `‘cmd.exe’` from the menu `‘Start’ / ‘Execute...’`
This will open a console window
3. `‘cd ‘dir‘\calceph-2.3.2’`
Go to the directory `dir` where CALCEPH Library has been expanded.

4. `'nmake /f Makefile.vc '`

This compiles CALCEPH Library in the working directory. This command line accepts several options :

- `CC=xx` specifies the name of the C compiler. The default value is `'c1.exe'`
- `FC=xx` specifies the name of the Fortran compiler. The default value is `'gfortran.exe'`
- `F77FUNC=naming` specifies the naming convention of the fortran 77 compiler. The possible value are: `x`, `X`, `x###-` , `X##-`.
- `ENABLEF2003={0|1}` specifies if it must compile the fortran 2003 interface.
- `ENABLEF77={0|1}` specifies if it must compile the fortran 77/90/95 interface.

5. `'nmake /f Makefile.vc check'`

This will make sure that the CALCEPH Library was built correctly.

If you get error messages, please report them to `inpop.imcce@obspm.fr` (See Chapter 4 [Reporting bugs], page 9, for information on what to include in useful bug reports).

This command line accepts several options :

- `CC=xx` specifies the name of the C compiler. The default value is `'c1.exe'`
- `FC=xx` specifies the name of the Fortran compiler. The default value is `'gfortran.exe'`
- `F77FUNC=naming` specifies the naming convention of the fortran 77 compiler. The possible value are: `x`, `X`, `x###-` , `X##-`.
- `ENABLEF2003={0|1}` specifies if it must compile the fortran 2003 interface. The default value is `'0'`.
- `ENABLEF77={0|1}` specifies if it must compile the fortran 77/90/95 interface. The default value is `'0'`.

6. `'nmake /f Makefile.vc install DESTDIR=dir'`

This will copy the file `calceph.h`, `calceph.mod` and `f90calceph.h` to the directory `/usr/local/include`, the file `libcalceph.lib` to the directory `dir\lib`, the file `calceph.pdf` to the directory `dir\doc`. Note: you need write permissions on these directories.

This command line accepts several options :

- `CC=xx` specifies the name of the C compiler. The default value is `'c1.exe'`
- `FC=xx` specifies the name of the Fortran compiler. The default value is `'gfortran.exe'`
- `F77FUNC=naming` specifies the naming convention of the fortran 77 compiler. The possible value are: `x`, `X`, `x###-` , `X##-`.
- `ENABLEF2003={0|1}` specifies if it must compile the fortran 2003 interface. The default value is `'0'`.
- `ENABLEF77={0|1}` specifies if it must compile the fortran 77/90/95 interface. The default value is `'0'`.

3.3.2 Using the MinGW

You need a C compiler, such as `gcc.exe`. A fortran compiler, compliant with the ANSI Fortran 77 specifications, is required to compile the fortran-77/90/95 interface of the library. A fortran compiler, such as `gfortran.exe`, compliant with the Fortran 2003 specifications, is required to compile the fortran-2003 interface of the library. A python interpreter, compliant at least with with the Python 2.6 or Python 3.0 specifications, is required to compile the python interface of the library.

Here are the steps needed to install the library on MinGW :

1. Expand the file `'calceph-2.3.2.tar.gz'`
2. Execute the command `'MinGW Shell'` from the menu `'Start'`.

This will open a MinGW Shell console window.

3. `'cd 'dir'\calceph-2.3.2'`

Go to the directory `dir` where CALCEPH Library has been expanded.

4. `'make -f Makefile.mingw '`

This compiles CALCEPH Library in the working directory. This command line accepts several options :

- `CC=xx` specifies the name of the C compiler. The default value is `'gcc.exe'`
- `FC=xx` specifies the name of the Fortran compiler. The default value is `'gfortran.exe'`
- `PYTHON=xx` specifies the name of the Python interpreter. The default value is `'python.exe'`
- `ENABLEF2003={0|1}` specifies if it must compile the fortran 2003 interface. The default value is `'0'`.
- `ENABLEF77={0|1}` specifies if it must compile the fortran 77/90/95 interface. The default value is `'0'`.
- `ENABLEPYTHON={0|1}` specifies if it must compile the python interface. The default value is `'0'`.

5. `'make -f Makefile.mingw check'`

This will make sure that the CALCEPH Library was built correctly.

If you get error messages, please report them to `inpop.imcce@obspm.fr` (See Chapter 4 [Reporting bugs], page 9, for information on what to include in useful bug reports).

This command line accepts several options :

- `CC=xx` specifies the name of the C compiler. The default value is `'gcc.exe'`
- `FC=xx` specifies the name of the Fortran compiler. The default value is `'gfortran.exe'`
- `PYTHON=xx` specifies the name of the Python interpreter. The default value is `'python.exe'`
- `ENABLEF2003={0|1}` specifies if it must compile and check the fortran 2003 interface. The default value is `'0'`.
- `ENABLEF77={0|1}` specifies if it must compile and check the fortran 77/90/95 interface. The default value is `'0'`.

- `ENABLEPYTHON={0|1}` specifies if it must compile and check the python interface. The default value is '0'.

6. `'make -f Makefile.mingw install DESTDIR=dir'`

This will copy the file `calceph.h`, `calceph.mod` and `f90calceph.h` to the directory `dir`, the file `libcalceph.lib` to the directory `dir\lib`, the file `calceph.pdf` to the directory `dir\doc`.

If `ENABLEPYTHON=1`, the installation will copy the of the CALCEPH python package to the system python site package (e.g., `C:\Python27\Lib\sites-packages\`) in order to that the python interpreter finds the CALCEPH module.

Note: you need write permissions on these directories.

This command line accepts several options :

- `CC=xx` specifies the name of the C compiler. The default value is `'gcc.exe'`
- `FC=xx` specifies the name of the Fortran compiler. The default value is `'gfortran.exe'`
- `PYTHON=xx` specifies the name of the Python interpreter. The default value is `'python.exe'`
- `ENABLEF2003={0|1}` specifies if it must compile and install the fortran 2003 interface. The default value is '0'.
- `ENABLEF77={0|1}` specifies if it must compile and install the fortran 77/90/95 interface. The default value is '0'.
- `ENABLEPYTHON={0|1}` specifies if it must compile and install the python interface. The default value is '0'.

4 Reporting bugs

If you think you have found a bug in the CALCEPH Library, first have a look on the CALCEPH Library web page <http://www.imcce.fr/inpop>, in which case you may find there a workaround for it. Otherwise, please investigate and report it. We have made this library available to you, and it seems very important for us, to ask you to report the bugs that you find.

There are a few things you should think about when you put your bug report together. You have to send us a test case that makes it possible for us to reproduce the bug. Include instructions on the way to run the test case.

You also have to explain what is wrong; if you get a crash, or if the results printed are incorrect and in that case, in what way.

Please include compiler version information in your bug report. This can be extracted using ‘`cc -V`’ on some machines, or, if you’re using gcc, ‘`gcc -v`’. Also, include the output from ‘`uname -a`’ and the CALCEPH version.

Send your bug report to: inpop.imcce@obspm.fr. If you think something in this manual is unclear, or downright incorrect, or if the language needs to be improved, please send a note to the same address.

5 CALCEPH Library Interface

5.1 C Usage

5.1.1 Headers and Libraries

All declarations needed to use CALCEPH Library are collected in the include file `calceph.h`. It is designed to work with both C and C++ compilers.

You should include that file in any program using the CALCEPH library:

```
#include <calceph.h>
```

5.1.1.1 Compilation on a Unix-like system

All programs using CALCEPH must link against the `libcalceph` library. On Unix-like system this can be done with `-lcalceph`, for example

```
gcc myprogram.c -o myprogram -lcalceph
```

If CALCEPH Library has been installed to a non-standard location then it may be necessary to use `-I` and `-L` compiler options to point to the right directories, and some sort of run-time path for a shared library.

5.1.1.2 Compilation on a Windows system

Using the Windows SDK

All programs using CALCEPH must link against the `libcalceph.lib`. On Windows system this can be done with `libcalceph.lib`, for example

```
cl.exe /out:myprogram myprogram.c libcalceph.lib
```

If CALCEPH Library has been installed to a non-standard location then it may be necessary to use `/I` and `/LIBPATH:` compiler options to point to the right directories.

Using the MinGW

All programs using CALCEPH must link against the `libcalceph` library. On the MinGW system, this can be done with `-lcalceph`, for example

```
gcc.exe myprogram.c -o myprogram -lcalceph
```

If CALCEPH Library has been installed to a non-standard location then it may be necessary to use `-I` and `-L` compiler options to point to the right directories, and some sort of run-time path for a shared library.

5.1.2 Constants

CALCEPH_MAX_CONSTANTNAME

This integer defines the maximum number of characters, including the trailing `'\0'`, that the name of a constant, available from the ephemeris file, could contain.

CALCEPH_VERSION_MAJOR

This integer constant defines the major revision of this library. It can be used to distinguish different releases of this library.

CALCEPH_VERSION_MINOR

This integer constant defines the minor revision of this library. It can be used to distinguish different releases of this library.

CALCEPH_VERSION_PATCH

This integer constant defines the patch level revision of this library. It can be used to distinguish different releases of this library.

```
#if (CALCEPH_VERSION_MAJOR>=2)
  || (CALCEPH_VERSION_MAJOR>=3 && CALCEPH_VERSION_MINOR>=2)
  ...
#endif
```

CALCEPH_VERSION_STRING

This C null-terminated string constant is the version of the library, which can be compared to the result of `calceph_getversion` to check at run time if the header file and library used match:

```
char version[CALCEPH_MAX_CONSTANTNAME];
calceph_getversion_str(version);
if (strcmp (version, CALCEPH_VERSION_STRING)!=0)
    fprintf (stderr, "Warning: header and library do not match\n");
```

Note: Obtaining different strings is not necessarily an error, as in general, a program compiled with some old CALCEPH version can be dynamically linked with a newer CALCEPH library version (if allowed by the operating system).

CALCEPH_ASTEROID

This integer defines the offset value for the asteroids that must be used as target or center for the computation functions, such as `calceph_compute`.

The following constants specify in which units are expressed the output of the computation functions, such as `calceph_compute_unit` :

- **CALCEPH_UNIT_AU** This integer defines that the unit of the positions and velocities is expressed in astronomical unit.
- **CALCEPH_UNIT_KM** This integer defines that the unit of the positions and velocities is expressed in kilometer.
- **CALCEPH_UNIT_DAY** This integer defines that the unit of the velocities or the quantity TT-TDB or TCG-TCB is expressed in day (one day=86400 seconds).
- **CALCEPH_UNIT_SEC** This integer defines that the unit of the velocities or the quantity TT-TDB or TCG-TCB is expressed in second.
- **CALCEPH_UNIT_RAD** This integer defines that the unit of the angles is expressed in radian.

CALCEPH_USE_NAIFID

This integer defines that the NAIF identification numbers are used as target or center for the computation functions, such as `calceph_compute_unit`.

5.1.3 Types

`t_calcephbin` [Data type]
 This type contains all information to access an ephemeris file.

5.2 Fortran 2003 Usage

5.2.1 Modules and Libraries

All declarations needed to use CALCEPH Library are collected in the module files `calceph.mod`. The library is designed to work with Fortran compilers compliant with the Fortran 2003 standard. All declarations use the standard 'ISO_C_BINDING' module.

You should include that module in any program using the CALCEPH library:

```
use calceph
```

When a fortran string is given as a parameter to a function of this library, you should append this string with `'//C_NULL_CHAR'` because the C library works only with C string.

5.2.2 Compilation on a Unix-like system

All programs using CALCEPH must link against the `libcalceph` library. On Unix-like system this can be done with `-lcalceph`, for example

```
gfortran -I/usr/local/include myprogram.f -o myprogram -lcalceph
```

If CALCEPH Library has been installed to a non-standard location then it may be necessary to use `-I` and `-L` compiler options to point to the right directories, and some sort of run-time path for a shared library.

5.2.3 Compilation on a Windows system

All programs using CALCEPH must link against the `libcalceph.lib`. On Windows system this can be done with `libcalceph.lib`, for example

```
gfortran.exe /out:myprogram.exe myprogram.f libcalceph.lib
```

If CALCEPH Library has been installed to a non-standard location then it may be necessary to use `/I` and `/LIBPATH:` compiler options to point to the right directories.

5.2.4 Constants

The following constants are defined in the module `calceph.mod`.

`CALCEPH_MAX_CONSTANTNAME`

This integer defines the maximum number of characters, including the trailing `'\0'`, that the name of a constant, available from the ephemeris file, could contain.

`CALCEPH_VERSION_MAJOR`

This integer constant defines the major revision of this library. It can be used to distinguish different releases of this library.

`CALCEPH_VERSION_MINOR`

This integer constant defines the minor revision of this library. It can be used to distinguish different releases of this library.

`CALCEPH_VERSION_PATCH`

This integer constant defines the patch level revision of this library. It can be used to distinguish different releases of this library.

CALCEPH_VERSION_STRING

This string constant is the version of the library, which can be compared to the result of `calceph_getversion_str` to check at run time if the header file and library used match.

CALCEPH_ASTEROID

This integer defines the offset value for the asteroids that must be used as target or center for the computation functions, such as `calceph_compute`.

The following constants specify in which units are expressed the output of the computation functions, such as `calceph_compute_unit` :

- `CALCEPH_UNIT_AU` This integer defines that the unit of the positions and velocities is expressed in astronomical unit.
- `CALCEPH_UNIT_KM` This integer defines that the unit of the positions and velocities is expressed in kilometer.
- `CALCEPH_UNIT_DAY` This integer defines that the unit of the velocities or the quantity TT-TDB or TCG-TCB is expressed in day (one day=86400 seconds).
- `CALCEPH_UNIT_SEC` This integer defines that the unit of the velocities or the quantity TT-TDB or TCG-TCB is expressed in second.
- `CALCEPH_UNIT_RAD` This integer defines that the unit of the angles is expressed in radian.

CALCEPH_USE_NAIFID

This integer defines that the NAIF identification numbers are used as target or center for the computation functions, such as `calceph_compute_unit`.

5.3 Fortran 77/90/95 Usage

5.3.1 Headers and Libraries

It is designed to work with Fortran compilers compliant with the Fortran 77, 90 or 95 standard with wrappers. All declarations are implicit, so you should take care about the types of the arguments. All functions are prefixed by 'f90'. This interface is only provided as compatibility layer and have a small overhead due to the wrappers. So if you have a fortran compiler compliant with 2003 standard, you should use the fortran 2003 interface of this library.

All declarations needed to use CALCEPH Library are collected in the header file `f90calceph.h`. It is designed to work with Fortran compilers compliant with the Fortran 77 , 90 or 95 standard.

You should include that file in every subroutine or function in any program using the CALCEPH library:

```
include 'f90calceph.h'
```

5.3.2 Compilation on a Unix-like system

All programs using CALCEPH must link against the `libcalceph` library. On Unix-like system this can be done with `-lcalceph`, for example

```
gfortran -I/usr/local/include myprogram.f -o myprogram -lcalceph
```

If CALCEPH Library has been installed to a non-standard location then it may be necessary to use `-I` and `-L` compiler options to point to the right directories, and some sort of run-time path for a shared library.

5.3.3 Compilation on a Windows system

All programs using CALCEPH must link against the `libcalceph.lib`. On Windows system this can be done with `libcalceph.lib`, for example

```
gfortran.exe /out:myprogram.exe myprogram.f libcalceph.lib
```

If CALCEPH Library has been installed to a non-standard location then it may be necessary to use `/I` and `/LIBPATH:` compiler options to point to the right directories.

5.3.4 Constants

The following constants are defined in the file `f90calceph.h`.

`CALCEPH_MAX_CONSTANTNAME`

This integer defines the maximum number of characters, including the trailing `'\0'`, that the name of a constant, available from the ephemeris file, could contain.

`CALCEPH_VERSION_MAJOR`

This integer constant defines the major revision of this library. It can be used to distinguish different releases of this library.

`CALCEPH_VERSION_MINOR`

This integer constant defines the minor revision of this library. It can be used to distinguish different releases of this library.

`CALCEPH_VERSION_PATCH`

This integer constant defines the patch level revision of this library. It can be used to distinguish different releases of this library.

`CALCEPH_VERSION_STRING`

This string constant is the version of the library, which can be compared to the result of `calceph_getversion_str` to check at run time if the header file and library used match.

`CALCEPH_ASTEROID`

This integer defines the offset value for the asteroids that must be used as target or center for the computation functions, such as `calceph_compute`.

The following constants specify in which units are expressed the output of the computation functions, such as `calceph_compute_unit` :

- `CALCEPH_UNIT_AU` This integer defines that the unit of the positions and velocities is expressed in astronomical unit.
- `CALCEPH_UNIT_KM` This integer defines that the unit of the positions and velocities is expressed in kilometer.
- `CALCEPH_UNIT_DAY` This integer defines that the unit of the velocities or the quantity TT-TDB or TCG-TCB is expressed in day (one day=86400 seconds).
- `CALCEPH_UNIT_SEC` This integer defines that the unit of the velocities or the quantity TT-TDB or TCG-TCB is expressed in second.

- `CALCEPH_UNIT_RAD` This integer defines that the unit of the angles is expressed in radian.

`CALCEPH_USE_NAIFID`

This integer defines that the NAIF identification numbers are used as target or center for the computation functions, such as `calceph_compute_unit`.

5.4 Python 2/3 Usage

5.4.1 Modules

It is designed to work with Python interpreters compliant with the Python 2.6 or later and Python 3.0 or later.

All declarations needed to use CALCEPH Library are collected in the module `calcephpy`. You should import this module:

```
from calcephpy import *
```

If you receive the following message "ImportError: No module named calcephpy" and if the configuration option `enable-python-package-system` and `enable-python-package-user` was not set, the environment variable `PYTHONPATH` should be set to the right location of the CALCEPH python package (e.g., `PYTHONPATH=/usr/local/lib64/python3.4/site-packages/:$PYTHONPATH`) in your shell initialization file (e.g., `~/.bash_login` or `~/.profile`), in order that the python interpreter finds the CALCEPH python package.

Relative to C or Fortran interface, the prefixes `calceph_`, `CALCEPH_`, `NAIFID_` are deleted for the naming convention of the functions, constants and NAIF identification numbers.

5.4.2 Types

`calcephpy.CalcephBin` [Data type]

This type contains all information to access an ephemeris file.

`calcephpy.NaifId` [Data type]

This type contains the NAIF identification numbers.

`calcephpy.Constants` [Data type]

This type contains all constants defined in the library, except the NAIF identification numbers.

5.4.3 Constants

The following constants are defined in the class `Constants` (or `calcephpy.Constants`).

`VERSION_MAJOR`

This integer constant defines the major revision of this library. It can be used to distinguish different releases of this library.

`VERSION_MINOR`

This integer constant defines the minor revision of this library. It can be used to distinguish different releases of this library.

VERSION_PATCH

This integer constant defines the patch level revision of this library. It can be used to distinguish different releases of this library.

VERSION_STRING

This string constant is the version of the library, which can be compared to the result of `calceph_getversion_str` to check at run time if the header file and library used match.

ASTEROID

This integer defines the offset value for the asteroids that must be used as target or center for the computation functions, such as `calceph_compute`.

The following constants specify in which units are expressed the output of the computation functions, such as `calceph_compute_unit` :

- **UNIT_AU** This integer defines that the unit of the positions and velocities is expressed in astronomical unit.
- **UNIT_KM** This integer defines that the unit of the positions and velocities is expressed in kilometer.
- **UNIT_DAY** This integer defines that the unit of the velocities or the quantity TT-TDB or TCG-TCB is expressed in day (one day=86400 seconds).
- **UNIT_SEC** This integer defines that the unit of the velocities or the quantity TT-TDB or TCG-TCB is expressed in second.
- **UNIT_RAD** This integer defines that the unit of the angles is expressed in radian.

USE_NAIFID

This integer defines that the NAIF identification numbers are used as target or center for the computation functions, such as `calceph_compute_unit`.

5.4.4 A simple example program

The following example program shows the typical usage of the python interface.

Other examples using the python interface can be found in the directory ‘`examples`’ of the library sources.

```

from calcephpy import *
peph = CalcephBin.open("example1.dat")
AU = peph.getconstant("AU")
PV = peph.compute_unit(jd0, dt, NaifId.MOON, NaifId.EARTH,
                      Constants.UNIT_KM+Constants.UNIT_SEC+Constants.USE_NAIFID)
print(PV)
peph.close()

```

5.5 Multiple file access functions

The following group of functions should be the preferred method to access to the library. They allow to access to multiple ephemeris files at the same time, even by multiple threads.

When an error occurs, these functions execute error handlers according to the behavior defined by the function `calceph_seterrorhandler` (see Section 5.7 [Error functions], page 47).

5.5.1 Thread notes

If the standard I/O functions such as `fread` are not reentrant then the CALCEPH I/O functions using them will not be reentrant either.

It's not safe for two threads to call the functions with same object of type `t_calcephbin`. But it's safe for two threads to access simultaneously to the same ephemeris file with two different objects of type `t_calcephbin`. In this case, each thread must open the same file.

5.5.2 Usage

The following examples, that can be found in the directory '`examples`' of the library sources, show the typical usage of this group of functions. The example in C language is '`cmultiple.c`'. The example in Fortran 2003 language is '`f2003multiple.f`'. The example in Fortran 77/90/95 language is '`f77multiple.f`'. The example in Python language is '`pymultiple.py`'.

```

    program f2003multiple
        USE, INTRINSIC :: ISO_C_BINDING
        use calceph
        implicit none
        integer res
        real(8) AU, EMRAT, GM_Mer
        real(8) jd0
        real(8) dt
        real(8) PV(6)
        TYPE(C_PTR) :: peph

        jd0 = 2451624
        dt = 0.5EO
! open the ephemeris file
        peph = calceph_open("example1.dat"//C_NULL_CHAR)
        if (C_ASSOCIATED(peph)) then
            write (*,*) "The ephemeris is already opened"
! print the values of AU, EMRAT and GM_Mer
            if (calceph_getconstant(peph, "AU"//C_NULL_CHAR, &
& AU).eq.1) then
                write (*,*) "AU=", AU
            endif
            if (calceph_getconstant(peph,"EMRAT"//C_NULL_CHAR, &
& EMRAT).eq.1) then
                write (*,*) "EMRAT=", EMRAT
            endif
            if (calceph_getconstant(peph,"GM_Mer"//C_NULL_CHAR, &
& GM_Mer).eq.1) then
                write (*,*) "GM_Mer=", GM_Mer
            endif

! compute and print the coordinates
! the geocentric moon coordinates
            res = calceph_compute(peph,jd0, dt, 10, 3, PV)
            call printcoord(PV,"geocentric coordinates of the Moon")
! the value TT-TDB
            if (calceph_compute(peph,jd0, dt, 16, 0, PV).eq.1) then
                write (*,*) "TT-TDB = ", PV(1)
            endif

! the heliocentric coordinates of Mars
            res = calceph_compute(peph,jd0, dt, 4, 11, PV)
            call printcoord(PV,"heliocentric coordinates of Mars")

! close the ephemeris file
            call calceph_close(peph)
            write (*,*) "The ephemeris is already closed"
        else
            write (*,*) "The ephemeris can't be opened"
        endif

        stop
    end

```

5.5.3 Functions

5.5.3.1 calceph_open

```
t_calcephbin* calceph_open ( const char *filename ) [C]
```

```
function calceph_open (filename) BIND(C) [Fortran 2003]
    CHARACTER(len=1,kind=C_CHAR), intent(in) :: filename
    TYPE(C_PTR) :: calceph_open
```

```
function f90calceph_open (eph, filename) [Fortran 77/90/95]
    CHARACTER(len=*), intent(in) :: filename
    INTEGER(8), intent(out) :: eph
    INTEGER :: f90calceph_open
```

```
eph = calcephpy.CalcephBin.open (filename) [Python 2/3]
    <type 'calcephpy.CalcephBin'> eph
    <type 'str'> filename
```

This function opens the file whose pathname is the string pointed to by filename, reads the two header blocks of this file and returns an ephemeris descriptor associated to it. This file must be compliant to the format specified by the 'original JPL binary', 'INPOP 2.0 binary' or 'SPICE' ephemeris file. At the moment, supported SPICE files are the following :

- text Planetary Constants Kernel (KPL/PCK) files
- binary PCK (DAF/PCK) files.
- binary SPK (DAF/SPK) files containing segments of type 1, 2, 3, 12, 13, 20, 102, 103 and 120.
- meta kernel (KPL/MK) files.
- frame kernel (KPL/FK) files. Only a basic support is provided.

On exit, it returns NULL (0 for the fortran 77/90/95 interface) if an error occurs, otherwise the return value is a non-NULL value.

Just after the call of calceph_open, the function calceph_prefetch should be called to accelerate future computations.

The function calceph_close must be called to free allocated memory by this function.

The following example opens the ephemeris file `example1.dat` and `example2.dat`

```
t_calcephbin *peph1;
t_calcephbin *peph2;
peph1 = calceph_open("example1.dat");
peph2 = calceph_open("example2.dat");
if (peph1 && peph2)
{
    calceph_prefetch(peph1);
    calceph_prefetch(peph2);
    /*
     ... computation ...
    */
}
/* close the files */
if (peph1) calceph_close(peph1);
if (peph2) calceph_close(peph2);
```

5.5.3.2 calceph_open_array

```
t_calcephbin* calceph_open_array (int n, const char *array_filename[] ) [C]
function calceph_open_array (n, array_filename, [Fortran 2003]
    len_filename) BIND(C)
    INTEGER(C_INT), VALUE, intent(in) :: n
    CHARACTER(len=1,kind=C_CHAR), dimension(*), intent(in) :: array_filename
    INTEGER(C_INT), VALUE, intent(in) :: len_filename
    TYPE(C_PTR) :: calceph_open_array

function f90calceph_open_array (eph, n, [Fortran 77/90/95]
    array_filename, len_filename)
    INTEGER, intent(in) :: n
    CHARACTER(len=*), dimension(*), intent(in) :: filename
    INTEGER, intent(in) :: len_filename
    INTEGER(8), intent(out) :: eph
    INTEGER :: f90calceph_open

eph = calcephpy.CalcephBin.open (array_filename) [Python 2/3]
    <type 'calcephpy.CalcephBin'> eph
    <type 'list'> array_filename
```

This function opens `n` files whose pathnames are the string pointed to by `array_filename`, reads the header blocks of these files and returns an ephemeris descriptor associated to them.

These files must have the same type (e.g., all files are SPICE files or original JPL files). This file must be compliant to the format specified by the 'original JPL binary', 'INPOP 2.0 binary' or 'SPICE' ephemeris file. At the moment, supported SPICE files are the following

:

- text Planetary Constants Kernel (KPL/PCK) files
- binary PCK (DAF/PCK) files.
- binary SPK (DAF/SPK) files containing segments of type 1, 2, 3, 12, 13, 20, 102, 103 and 120.
- meta kernel (KPL/MK) files.
- frame kernel (KPL/FK) files. Only a basic support is provided.

With the Fortran interfaces, `len_filename` specifies the number of character of each file's name.

On exit, it returns NULL (0 for the fortran 77/90/95 interface) if an error occurs, otherwise the return value is a non-NULL value.

Just after the call of `calceph_open_array`, the function `calceph_prefetch` should be called to accelerate future computations.

The function `calceph_close` must be called to free allocated memory by this function.

The following example opens the ephemeris file `example1.bsp` and `example1.tpc`

```

TYPE(C_PTR) :: peph
character(len=256), dimension (2) :: filear
filear(1) = "../examples/example1.bsp"//C_NULL_CHAR
filear(2) = "../examples/example1.tpc"//C_NULL_CHAR
peph = calceph_open_array(2, filear, 256)
if (C_ASSOCIATED(peph)) then
    calceph_prefetch(peph1);
    calceph_prefetch(peph2);
    ! ... computation ...
    call calceph_close(peph)
endif

```

5.5.3.3 calceph_prefetch

```
int calceph_prefetch ( t_calcephbin* eph ) [C]
```

```
function calceph_prefetch (eph) BIND(C) [Fortran 2003]
    TYPE(C_PTR), VALUE, intent(in) :: eph
    INTEGER(C_INT) :: calceph_prefetch
```

```
function f90calceph_prefetch (eph) [Fortran 77/90/95]
    INTEGER(8), intent(in) :: eph
    INTEGER :: f90calceph_prefetch
```

```
eph.prefetch ( ) [Python 2/3]
    <type 'calcephpy.CalcephBin'> eph
```

This function prefetches to the main memory all files associated to the ephemeris descriptor `eph`. This prefetching operation will accelerate the further computations performed with `calceph_compute`, `calcephcompute_unit` or `calceph_orient_unit`.

It requires that the file is smaller than the main memory. If multiple threads (e.g. threads of openMP or Posix Pthreads) prefetch the data for the same ephemeris file, the used memory will remain the same as if the prefetch operation was done by a single thread if and if the endianness of the file is the same as the computer and if the operating system, such as Linux, MacOS X other unix, supports the function mmap.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

5.5.3.4 calceph_compute

```
int calceph_compute (t_calcephbin* eph, double JD0, double time, int          [C]
                    target, int center, double PV[6] )
```

```
function calceph_compute (eph, JD0, time, target, center, PV      [Fortran 2003]
) BIND(C)
    TYPE(C_PTR), VALUE, intent(in) :: eph
    REAL(C_DOUBLE), VALUE, intent(in) :: JD0
    REAL(C_DOUBLE), VALUE, intent(in) :: time
    INTEGER(C_INT), VALUE, intent(in) :: target
    INTEGER(C_INT), VALUE, intent(in) :: center
    REAL(C_DOUBLE), intent(out) :: PV(6)
    INTEGER(C_INT) :: calceph_compute
```

```
function f90calceph_compute (eph, JD0, time, target,                [Fortran 77/90/95]
                           center, PV )
    INTEGER(8), intent(in) :: eph
    REAL(8), intent(in) :: JD0
    REAL(8), intent(in) :: time
    INTEGER, intent(in) :: target
    INTEGER, intent(in) :: center
    REAL(8), intent(out) :: PV(6)
    INTEGER :: f90calceph_compute
```

```
PV = eph.compute (JD0, time, target, center)                        [Python 2/3]
    <type 'list'> PV
    <type 'calcephpy.CalcephBin'> eph
    <type 'float'> JD0
    <type 'float'> time
    <type 'int'> target
    <type 'int'> center
```

This function reads, if needed, in the ephemeris file associated to *eph* and interpolates a single object, usually the position and velocity of one body (*target*) relative to another (*center*), from the ephemeris file, previously opened with the function `calceph_open`, for the time $JD0+time$ and stores the results to *PV*.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The arguments are :

JD0 Integer part of the Julian Date.

| | |
|---------------|---|
| <i>time</i> | Fraction part of the Julian Date. |
| <i>target</i> | The body or reference point whose coordinates are required (see the list, below). |
| <i>center</i> | The origin of the coordinate system (see the list, below). If <i>target</i> is 15, 16 or 17 (libration, TT-TDB or TCG-TCB), <i>center</i> must be '0'. |
| <i>PV</i> | An array to receive the cartesian position (x,y,z) and the velocity (xdot, ydot, zdot). The position is expressed in Astronomical Unit (au) and the velocity is expressed in Astronomical Unit per day (au/day). If the target is <i>TT-TDB</i> , only the first element of this array will get the result. The time scale transformation TT-TDB is expressed in seconds. If the target is <i>TCG-TCB</i> , only the first element of this array will get the result. The time scale transformation TCG-TCB is expressed in seconds. If the target is <i>Librations</i> , the angles of the librations of the Moon are expressed in radians and their derivatives are expressed in radians per day. |

To get the best precision for the interpolation, the time is splitted in two floating-point numbers. The argument *JD0* should be an integer and *time* should be a fraction of the day. But you may call this function with *time*=0 and *JD0*, the desired time, if you don't take care about precision.

The possible values for *target* and *center* are :

| value | meaning |
|------------------------------------|------------------------|
| 1 | Mercury Barycenter |
| 2 | Venus Barycenter |
| 3 | Earth |
| 4 | Mars Barycenter |
| 5 | Jupiter Barycenter |
| 6 | Saturn Barycenter |
| 7 | Uranus Barycenter |
| 8 | Neptune Barycenter |
| 9 | Pluto Barycenter |
| 10 | Moon |
| 11 | Sun |
| 12 | Solar Sytem barycenter |
| 13 | Earth-moon barycenter |
| 15 | Librations |
| 16 | TT-TDB |
| 17 | TCG-TCB |
| asteroid number + CALCEPH_ASTEROID | asteroid |

These accepted values by this function are the same as the value for the JPL function PLEPH, except for the values TT-TDB, TCG-TCB and asteroids.

For example, the value "CALCEPH_ASTEROID+4" for target or center specifies the asteroid Vesta.

The following example prints the heliocentric coordinates of Mars at time=2451624.5 and at 2451624.9

```

int res;
int j;
double jd0=2451624;
double dt1=0.5E0;
double dt2=0.9E0;
t_calcephbin *peph;
double PV[6];

/* open the ephemeris file */
peph = calceph_open("example1.dat");
if (peph)
{
    /* the heliocentric coordinates of Mars */
    calceph_compute(peph, jd0, dt1, 4, 11, PV);
    for(j=0; j<6; j++) printf("%23.16E\n", PV[j]);

    calceph_compute(peph, jd0, dt2, 4, 11, PV);
    for(j=0; j<6; j++) printf("%23.16E\n", PV[j]);

    /* close the ephemeris file */
    calceph_close(peph);
}

```

5.5.3.5 calceph_compute_unit

```
int calceph_compute_unit (t_calcephbin* eph, double JD0, double time, int [C]
    target, int center, int unit, double PV[6] )
```

```
function calceph_compute_unit (eph, JD0, time, target, [Fortran 2003]
    center, unit, PV) BIND(C)
```

```

    TYPE(C_PTR), VALUE, intent(in) :: eph
    REAL(C_DOUBLE), VALUE, intent(in) :: JD0
    REAL(C_DOUBLE), VALUE, intent(in) :: time
    INTEGER(C_INT), VALUE, intent(in) :: target
    INTEGER(C_INT), VALUE, intent(in) :: center
    INTEGER(C_INT), VALUE, intent(in) :: unit
    REAL(C_DOUBLE), intent(out) :: PV(6)
    INTEGER(C_INT) :: calceph_compute_unit

```

```
function f90calceph_compute_unit (eph, JD0, time, [Fortran 77/90/95]
    target, center, unit, PV)
```

```

    INTEGER(8), intent(in) :: eph
    REAL(8), intent(in) :: JD0
    REAL(8), intent(in) :: time
    INTEGER, intent(in) :: target

```

```

INTEGER, intent(in) :: center
INTEGER, intent(in) :: unit
REAL(8), intent(out) :: PV(6)
INTEGER :: f90calceph_compute_unit

```

```

PV = eph.compute_unit (JD0, time, target, center, unit)           [Python 2/3]
    <type 'list'> PV
    <type 'calcephy.CalcephBin'> eph
    <type 'float'> JD0
    <type 'float'> time
    <type 'int'> target
    <type 'int'> center
    <type 'int'> unit

```

This function is similar to the function `calceph_compute`, except that the units of the output are specified.

This function reads, if needed, in the ephemeris file associated to *eph* and interpolates a single object, usually the position and velocity of one body (*target*) relative to another (*center*), from the ephemeris file, previously opened with the function `calceph_open`, for the time $JD0+time$ and stores the results to *PV*. The output values are expressed in the units specified by *unit*.

This function checks the units if invalid combinations of units are given to the function.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The arguments are :

| | |
|---------------|--|
| <i>JD0</i> | Integer part of the Julian Date. |
| <i>time</i> | Fraction part of the Julian Date. |
| <i>target</i> | The body or reference point whose coordinates are required. The numbering system depends on the parameter unit. |
| <i>center</i> | The origin of the coordinate system. The numbering system depends on the parameter unit. |
| <i>unit</i> | The units of <i>PV</i> . This integer is a sum of some unit constants (CALCEPH_UNIT_???) and/or the constant CALCEPH_USE_NAIFID. If the unit contains CALCEPH_USE_NAIFID, the NAIF identification numbering system is used for the target and the center (see Appendix A [NAIF identification numbers], page 51 for the list). If the unit doesnot contain CALCEPH_USE_NAIFID, the old number system is used for the target and the center (see the list in the function <code>calceph_compute</code>). |
| <i>PV</i> | An array to receive the cartesian position (x,y,z) and the velocity (xdot, ydot, zdot). The position and velocity are expressed in Astronomical Unit (au) if unit contains CALCEPH_UNIT_AU. The position and velocity are expressed in kilometers if unit contains CALCEPH_UNIT_KM. |

The velocity, TT-TDB, TCG-TCB or the derivatives of the angles of the librations of the Moon are expressed in days if unit contains `CALCEPH_UNIT_DAY`. The velocity, TT-TDB, TCG-TCB or the derivatives of the angles of the librations of the Moon are expressed in seconds if unit contains `CALCEPH_UNIT_SEC`. The angles of the librations of the Moon are expressed in radians if unit contains `CALCEPH_UNIT_RAD`.

For example, to get the position and velocities expressed in kilometers and kilometers/seconds, the unit must be set to `CALCEPH_UNIT_KM+CALCEPH_UNIT_SEC`.

The following example prints the heliocentric coordinates of Mars at time=2451624.5 and at 2451624.9

```

int res;
int j;
double jd0=2451624;
double dt1=0.5E0;
t_calcephbin *peph;
double PV[6];

/* open the ephemeris file */
peph = calceph_open("example1.dat");
if (peph)
{
  /* the heliocentric coordinates of Mars in km and km/s */
  calceph_compute_unit(peph, jd0, dt1, 4, 11,
                      CALCEPH_UNIT_KM+CALCEPH_UNIT_SEC,
                      PV);
  for(j=0; j<6; j++) printf("%23.16E\n", PV[j]);

  /* compute same quantity as the previous call using NAIF ID */
  calceph_compute_unit(peph, jd0, dt1,
                      NAIFID_MARS_BARYCENTER,
                      NAIFID_SUN,
                      CALCEPH_USE_NAIFID+CALCEPH_UNIT_KM
                      +CALCEPH_UNIT_SEC,
                      PV);
  for(j=0; j<6; j++) printf("%23.16E\n", PV[j]);

  /* the heliocentric coordinates of Mars in AU and AU/day */
  calceph_compute_unit(peph, jd0, dt1, 4, 11,
                      CALCEPH_UNIT_AU+CALCEPH_UNIT_DAY,
                      PV);
  for(j=0; j<6; j++) printf("%23.16E\n", PV[j]);

  /* close the ephemeris file */
  calceph_close(peph);
}

```

5.5.3.6 calceph_orient_unit

```
int calceph_orient_unit (t_calcephbin* eph, double JDO, double time, int [C]
                        target, int unit, double PV[6] )
```

```
function calceph_orient_unit (eph, JDO, time, target, unit, [Fortran 2003]
                             PV) BIND(C)
    TYPE(C_PTR), VALUE, intent(in) :: eph
```

```

REAL(C_DOUBLE), VALUE, intent(in) :: JD0
REAL(C_DOUBLE), VALUE, intent(in) :: time
INTEGER(C_INT), VALUE, intent(in) :: target
INTEGER(C_INT), VALUE, intent(in) :: unit
REAL(C_DOUBLE), intent(out) :: PV(6)
INTEGER(C_INT) :: calceph_compute_unit

```

```

function f90calceph_orient_unit (eph, JD0, time,           [Fortran 77/90/95]
    target, unit, PV)

```

```

    INTEGER(8), intent(in) :: eph
    REAL(8), intent(in) :: JD0
    REAL(8), intent(in) :: time
    INTEGER, intent(in) :: target
    INTEGER, intent(in) :: unit
    REAL(8), intent(out) :: PV(6)
    INTEGER :: f90calceph_compute_unit

```

```

PV = eph.orient_unit (JD0, time, target, unit)           [Python 2/3]

```

```

<type 'list'> PV
<type 'calcephpy.CalcephBin'> eph
<type 'float'> JD0
<type 'float'> time
<type 'int'> target
<type 'int'> unit

```

This function reads, if needed, in the ephemeris file associated to *eph* and interpolates the orientation of a single body (*target*), from the ephemeris file, previously opened with the function `calceph_open`, for the time *JD0+time* and stores the results to *PV*. The output values are expressed in the units specified by *unit*.

This function checks the units if invalid combinations of units are given to the function.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The arguments are :

- | | |
|---------------|--|
| <i>JD0</i> | Integer part of the Julian Date. |
| <i>time</i> | Fraction part of the Julian Date. |
| <i>target</i> | The body whose orientations are requested. The numbering system depends on the parameter unit. |
| <i>unit</i> | The units of PV. This integer is a sum of some unit constants (CALCEPH_UNIT_???) and/or the constant CALCEPH_USE_NAIFID. If the unit contains CALCEPH_USE_NAIFID, the NAIF identification numbering system is used for the target (see Appendix A [NAIF identification numbers], page 51 for the list). If the unit doesnot contain CALCEPH_USE_NAIFID, the old number system is used for the target (see the list in the function <code>calceph_compute</code>). |

PV An array to receive the euler angles and their derivatives for the orientation of the body.

The derivatives of the angles are expressed in days if unit contains `CALCEPH_UNIT_DAY`. The derivatives of the angles are expressed in seconds if unit contains `CALCEPH_UNIT_SEC`. The angles of the librations of the Moon are expressed in radians if unit contains `CALCEPH_UNIT_RAD`.

The following example prints the angles of libration of the Moon at time=2451624.5 and at 2451624.9

```

int res;
int j;
double jd0=2451624;
double dt1=0.5E0;
t_calcephbin *peph;
double PV[6];

/* open the ephemeris file */
peph = calceph_open("example1.dat");
if (peph)
{
    calceph_prefetch(peph);

    calceph_orient_unit(peph, jd0, dt1, NAIFID_MOON,
                       CALCEPH_USE_NAIFID+CALCEPH_UNIT_RAD
                       +CALCEPH_UNIT_SEC,
                       PV);
    for(j=0; j<6; j++) printf("%23.16E\n", PV[j]);

    /* close the ephemeris file */
    calceph_close(peph);
}

```

5.5.3.7 calceph_compute_order

```

int calceph_compute_order (t_calcephbin* eph, double JD0, double time, int [C]
                           target, int center, int unit, int order, double *PVAJ )

```

```

function calceph_compute_order (eph, JD0, time, target, [Fortran 2003]
                               center, unit, order, PVAJ ) BIND(C)
    TYPE(C_PTR), VALUE, intent(in) :: eph
    REAL(C_DOUBLE), VALUE, intent(in) :: JD0
    REAL(C_DOUBLE), VALUE, intent(in) :: time
    INTEGER(C_INT), VALUE, intent(in) :: target
    INTEGER(C_INT), VALUE, intent(in) :: center
    INTEGER(C_INT), VALUE, intent(in) :: unit

```

```

INTEGER(C_INT), VALUE, intent(in) :: order
REAL(C_DOUBLE), intent(out) :: PVAJ(12)
INTEGER(C_INT) :: calceph_compute_order

```

```

function f90calceph_compute_order (eph, JDO, time,           [Fortran 77/90/95]
    target, center, unit, order, PVAJ )
    INTEGER(8), intent(in) :: eph
    REAL(8), intent(in) :: JDO
    REAL(8), intent(in) :: time
    INTEGER, intent(in) :: target
    INTEGER, intent(in) :: center
    INTEGER, intent(in) :: unit
    INTEGER, intent(in) :: order
    REAL(8), intent(out) :: PVAJ(12)
    INTEGER :: f90calceph_compute_order

```

```

PVAJ = eph.compute_order (JDO, time, target, center, unit,   [Python 2/3]
    order)
    <type 'list'> PVAJ
    <type 'calcephpy.CalcephBin'> eph
    <type 'float'> JDO
    <type 'float'> time
    <type 'int'> target
    <type 'int'> center
    <type 'int'> unit
    <type 'int'> order

```

This function is similar to the function `calceph_compute_unit`, except that the order of the computed derivatives is specified.

This function reads, if needed, in the ephemeris file associated to *eph* and interpolates a single object, usually the position and their derivatives of one body (*target*) relative to another (*center*), from the ephemeris file, previously opened with the function `calceph_open`, for the time $JDO+time$ and stores the results to *PVAJ*. The order of the derivatives are specified by *order*. The output values are expressed in the units specified by *unit*.

This function checks the units if invalid combinations of units are given to the function.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The arguments are :

| | |
|---------------|---|
| <i>JDO</i> | Integer part of the Julian Date. |
| <i>time</i> | Fraction part of the Julian Date. |
| <i>target</i> | The body or reference point whose coordinates are required. The numbering system depends on the parameter unit. |
| <i>center</i> | The origin of the coordinate system. The numbering system depends on the parameter unit. |

unit The units of PVAJ. This integer is a sum of some unit constants (CALCEPH_UNIT_???) and/or the constant CALCEPH_USE_NAIFID.

If the unit contains CALCEPH_USE_NAIFID, the NAIF identification numbering system is used for the target and the center (see Appendix A [NAIF identification numbers], page 51 for the list).

If the unit doesnot contain CALCEPH_USE_NAIFID, the old number system is used for the target and the center (see the list in the function `calceph_compute`).

order The order of derivatives.

= 0 , only the position is computed. The first three numbers of PVAJ are valid for the results.

= 1 , only the position and velocity are computed. The first six numbers of PVAJ are valid for the results.

= 2 , only the position, velocity and acceleration are computed. The first nine numbers of PVAJ are valid for the results.

= 3 , the position, velocity and acceleration and jerk are computed. The first twelve numbers of PVAJ are valid for the results.

If order equals to 1, the behavior of `calceph_compute_order` is the same as `calceph_compute_unit`.

PVAJ An array to receive the cartesian position (x,y,z) and the derivatives. This array must be large enough to store the results. For the C interface, the size of this array must be equal to 3*(order+1).

- PVAJ[0..2] using the C interface, or PVAJ[1:3] using the fortran interface, contain the position (x,y,z) and is always valid.
- PVAJ[3..5] using the C interface, or PVAJ[4:6] using the fortran interface, contain the velocity (dx/dt,dy/dt,dz/dt) and is only valid if *order* is greater or equal to 1.
- PVAJ[6..8] using the C interface, or PVAJ[7:9] using the fortran interface, contain the acceleration ($d^2x/dt^2, d^2y/dt^2, d^2z/dt^2$) and is only valid if *order* is greater or equal to 2.
- PVAJ[9..11] using the C interface, or PVAJ[10:12] using the fortran interface, contain the jerk ($d^3x/dt^3, d^3y/dt^3, d^3z/dt^3$) and is only valid if *order* is equal to 3.

The position, velocity, acceleration and jerk are expressed in Astronomical Unit (au) if unit contains CALCEPH_UNIT_AU. The position, velocity, acceleration and jerk are expressed in kilometers if unit contains CALCEPH_UNIT_KM.

The velocity, acceleration, jerk, TT-TDB, TCG-TCB or the derivatives of the angles of the librations of the Moon are expressed in days if unit contains CALCEPH_UNIT_DAY. The velocity, acceleration, jerk, TT-TDB, TCG-TCB or the derivatives of the angles of the librations of the Moon are expressed in seconds if unit contains CALCEPH_UNIT_SEC. The angles of the librations of the Moon are expressed in radians if unit contains CALCEPH_UNIT_RAD.

For example, to get the positions, velocities, accelerations and jerks expressed in kilometers and kilometers/seconds, the unit must be set to `CALCEPH_UNIT_KM+CALCEPH_UNIT_SEC`.

The following example prints the heliocentric coordinates of Mars at time=2451624.5 and at 2451624.9

```

int res;
int j;
double jd0=2451624;
double dt1=0.5E0;
t_calcephbin *peph;
double PVAJ[12];
double P[3];

/* open the ephemeris file */
peph = calceph_open("example1.dat");
if (peph)
{
    /* compute only the heliocentric position of Mars in km */
    calceph_compute_order(peph, jd0, dt1, 4, 11,
                          CALCEPH_UNIT_KM+CALCEPH_UNIT_SEC,
                          0,
                          P);
    for(j=0; j<3; j++) printf("%23.16E\n", P[j]);

    /* compute positions, velocities, accelerations and jerks
    of Mars in km and seconds */
    calceph_compute_order(peph, jd0, dt1,
                          NAIFID_MARS_BARYCENTER,
                          NAIFID_SUN,
                          CALCEPH_USE_NAIFID+CALCEPH_UNIT_KM
                          +CALCEPH_UNIT_SEC,
                          3,
                          PVAJ);
    for(j=0; j<12; j++) printf("%23.16E\n", PVAJ[j]);

    /* close the ephemeris file */
    calceph_close(peph);
}

```

5.5.3.8 calceph_orient_order

```

int calceph_orient_order (t_calcephbin* eph, double JDO, double time, int [C]
                          target, int unit, int order, double *PVAJ )

```

```

function calceph_orient_order (eph, JDO, time, target, unit,      [Fortran 2003]
    order, PVAJ ) BIND(C)
    TYPE(C_PTR), VALUE, intent(in) :: eph
    REAL(C_DOUBLE), VALUE, intent(in) :: JDO
    REAL(C_DOUBLE), VALUE, intent(in) :: time
    INTEGER(C_INT), VALUE, intent(in) :: target
    INTEGER(C_INT), VALUE, intent(in) :: unit
    INTEGER(C_INT), VALUE, intent(in) :: order
    REAL(C_DOUBLE), intent(out) :: PVAJ(12)
    INTEGER(C_INT) :: calceph_orient_order

function f90calceph_orient_order (eph, JDO, time,                [Fortran 77/90/95]
    target, unit, order, PVAJ )
    INTEGER(8), intent(in) :: eph
    REAL(8), intent(in) :: JDO
    REAL(8), intent(in) :: time
    INTEGER, intent(in) :: target
    INTEGER, intent(in) :: unit
    INTEGER, intent(in) :: order
    REAL(8), intent(out) :: PVAJ(12)
    INTEGER :: f90calceph_orient_order

PVAJ = eph.orient_order (JDO, time, target, unit, order)        [Python 2/3]
    <type 'list'> PVAJ
    <type 'calcephpy.CalcephBin'> eph
    <type 'float'> JDO
    <type 'float'> time
    <type 'int'> target
    <type 'int'> unit
    <type 'int'> order

```

This function is similar to the function `calceph_orient_unit`, except that the order of the computed derivatives is specified.

This function reads, if needed, in the ephemeris file associated to `eph` and interpolates the orientation of a single body (`target`), from the ephemeris file, previously opened with the function `calceph_open`, for the time `JDO+time` and stores the results to `PVAJ`. The order of the derivatives are specified by `order`. The output values are expressed in the units specified by `unit`.

This function checks the units if invalid combinations of units are given to the function.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The arguments are :

| | |
|---------------------|--|
| <code>JDO</code> | Integer part of the Julian Date. |
| <code>time</code> | Fraction part of the Julian Date. |
| <code>target</code> | The body whose orientations are requested. The numbering system depends on the parameter unit. |

unit The units of PVAJ. This integer is a sum of some unit constants (CALCEPH_UNIT_???) and/or the constant CALCEPH_USE_NAIFID.

If the unit contains CALCEPH_USE_NAIFID, the NAIF identification numbering system is used for the target (see Appendix A [NAIF identification numbers], page 51 for the list).

If the unit doesnot contain CALCEPH_USE_NAIFID, the old number system is used for the target (see the list in the function `calceph_compute`).

order The order of derivatives.

= 0 , only the angles is computed. The first three numbers of PVAJ are valid for the results.

= 1 , only the angles and the first derivative are computed. The first six numbers of PVAJ are valid for the results.

= 2 , only the angles and the first and second derivatives are computed. The first nine numbers of PVAJ are valid for the results.

= 3 , the angles and the first, second and third derivatives are computed. The first twelve numbers of PVAJ are valid for the results.

If order equals to 1, the behavior of `calceph_orient_order` is the same as `calceph_orient_unit`.

PVAJ An array to receive the euler angles and their different order of the derivatives for the orientation of the body. This array must be large enough to store the results. For the C interface, the size of this array must be equal to $3*(order+1)$.

- PVAJ[0..2] using the C interface, or PVAJ[1:3] using the fortran interface, contain the angles and is always valid.
- PVAJ[3..5] using the C interface, or PVAJ[4:6] using the fortran interface, contain the first derivative and is only valid if *order* is greater or equal to 1.
- PVAJ[6..8] using the C interface, or PVAJ[7:9] using the fortran interface, contain the second derivative and is only valid if *order* is greater or equal to 2.
- PVAJ[9..11] using the C interface, or PVAJ[10:12] using the fortran interface, contain the third derivative and is only valid if *order* is equal to 3.

The derivatives of the angles are expressed in days if unit contains CALCEPH_UNIT_DAY. The derivatives of the angles are expressed in seconds if unit contains CALCEPH_UNIT_SEC. The angles of the orientation are expressed in radians if unit contains CALCEPH_UNIT_RAD.

The following example prints only the angles of libration of the Moon at time=2451624.5 and at 2451624.9

```

int res;
int j;
double jd0=2451624;
double dt1=0.5E0;
t_calcephbin *peph;
double A[3];

/* open the ephemeris file */
peph = calceph_open("example1.dat");
if (peph)
{
    calceph_prefetch(peph);

    calceph_orient_order(peph, jd0, dt1, NAIFID_MOON,
        CALCEPH_USE_NAIFID+CALCEPH_UNIT_RAD+CALCEPH_UNIT_SEC,
        0,
        A);
    for(j=0; j<3; j++) printf("%23.16E\n", A[j]);

    /* close the ephemeris file */
    calceph_close(peph);
}

```

5.5.3.9 calceph_getconstant

```
int calceph_getconstant ( t_calcephbin* eph, const char* name, double value ) [C]
```

```
function calceph_getconstant ( eph, name, value ) BIND(C) [Fortran 2003]
    TYPE(C_PTR), VALUE, intent(in) :: eph
    CHARACTER(len=1,kind=C_CHAR), intent(in) :: name
    REAL(C_DOUBLE), intent(out) :: value
    INTEGER(C_INT) :: calceph_getconstant
```

```
function f90calceph_getconstant ( eph, name, value ) [Fortran 77/90/95]
    INTEGER(8), intent(in) :: eph
    CHARACTER(len=*), intent(in) :: name
    REAL(8), intent(out) :: value
    INTEGER :: f90calceph_getconstant
```

```
value = eph.getconstant ( name ) [Python 2/3]
    <type 'float'> value
    <type 'calcephpy.CalcephBin'> eph
    <type 'str'> name
```

This function returns the value associated to the constant *name* in the header of the ephemeris file associated to the descriptor *eph*.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The following example prints the value of the astronomical unit stored in the ephemeris file

```
double AU;
t_calcephbin *peph;

/* open the ephemeris file */
peph = calceph_open("example1.dat");
if (peph)
{
    /* print the values of AU */
    if (calceph_getconstant(peph, "AU", &AU))
        printf("AU=%23.16E\n", AU);

    /* close the ephemeris file */
    calceph_close(peph);
}
```

5.5.3.10 calceph_getconstantcount

```
int calceph_getconstantcount (t_calcephbin* eph ) [C]
```

```
function calceph_getconstantcount (eph) BIND(C) [Fortran 2003]
    TYPE(C_PTR), VALUE, intent(in) :: eph
    INTEGER(C_INT) :: calceph_getconstantcount
```

```
function f90calceph_getconstantcount (eph) [Fortran 77/90/95]
    INTEGER(8), intent(in) :: eph
    INTEGER :: f90calceph_getconstantcount
```

```
eph.getconstantcount () [Python 2/3]
    <type 'calcephpy.CalcephBin'> eph
```

This function returns the number of constants available in the header of the ephemeris file associated to the descriptor *eph*.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The following example prints the number of available constants stored in the ephemeris file

```
int count;
t_calcephbin *peph;

/* open the ephemeris file */
peph = calceph_open("example1.dat");
if (peph)
{
    /* print the number of constants */
    count = calceph_getconstantcount(peph);
    printf("number of constants : %d\n", count);

    /* close the ephemeris file */
    calceph_close(peph);
}
```

5.5.3.11 calceph_getconstantindex

```
int calceph_getconstantindex (t_calcephbin* eph, int index, char          [C]
                             name[CALCEPH_MAX_CONSTANTNAME], double *value)
```

```
function calceph_getconstantindex (eph, index, name,                      [Fortran 2003]
    value) BIND(C)
    TYPE(C_PTR), VALUE, intent(in) :: eph
    INTEGER(C_INT), VALUE, intent(in) :: index
    CHARACTER(len=1,kind=C_CHAR),
    dimension(CALCEPH_MAX_CONSTANTNAME), intent(out) :: name
    REAL(C_DOUBLE), intent(out) :: value
    INTEGER(C_INT) :: calceph_getconstantindex
```

```
function f90calceph_getconstantindex (eph, index,                          [Fortran 77/90/95]
    name, value)
    INTEGER(8), intent(in) :: eph
    INTEGER(INT), intent(in) :: index
    CHARACTER(len=CALCEPH_MAX_CONSTANTNAME), intent(out) ::
    name
    REAL(8), intent(out) :: value
    INTEGER :: f90calceph_getconstantindex
```

```
name, value = eph.getconstantindex (index)                                [Python 2/3]
    <type 'str'> name
    <type 'float'> value
    <type 'calcephpy.CalcephBin'> eph
    <type 'int'> index
```

This function returns the name and its value of the constant available at the specified index in the header of the ephemeris file associated to the descriptor *eph*. The value of *index* must be between 1 and `calceph_getconstantcount(eph)`.

If the fortran-77/90/95 interface is used, trailing blanks are added to the name of the constant.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The following example displays the name of the constants, stored in the ephemeris file, and their values

```

        USE, INTRINSIC :: ISO_C_BINDING
        use calceph
        implicit none
        integer res
        integer j
        real(8) valueconstant
        character(len=CALCEPH_MAX_CONSTANTNAME) nameconstant
        TYPE(C_PTR) :: peph

! open the ephemeris file
        peph = calceph_open("example1.dat"//C_NULL_CHAR)
        if (C_ASSOCIATED(peph)) then

! print the list of constants
        do j=1, calceph_getconstantcount(peph)
            res = calceph_getconstantindex(peph,j,nameconstant, &
&                                     &
            valueconstant)
            write (*,*) nameconstant,"=",valueconstant
        enddo

! close the ephemeris file
        call calceph_close(peph)
    endif

```

5.5.3.12 calceph_close

```
void calceph_close ( t_calcephbin* eph ) [C]
```

```
function calceph_close (eph) BIND(C) [Fortran 2003]
    TYPE(C_PTR), VALUE, intent(in) :: eph
```

```
subroutine f90calceph_close (eph) [Fortran 77/90/95]
    INTEGER(8), intent(in) :: eph
```

```
eph.close () [Python 2/3]
    <type 'calcephpy.CalcephBin'> eph
```

This function closes the access associated to the ephemeris descriptor *eph* and frees allocated memory for it.

5.6 Single file access functions

This group of functions works on a single ephemeris file at a given instant. They use an internal global variable to store information about the current opened ephemeris file.

They are provided to have a similar interface of the fortran PLEPH function, supplied with the JPL ephemeris files. So the following call to PLEPH

```
PLEPH(46550D0, 3, 12, PV)
```

could be replaced by

```
calceph_sopen("ephemerisfile.dat")
calceph_scompute(46550D0, 0, 3, 12, PV)
calceph_sclose()
```

While the function PLEPH could access only one file in a program, these functions could access on multiple files in a program but not at same time. To access multiple files at a same time, the functions listed in the section ‘Multiple file access functions’ must be used.

When an error occurs, these functions execute error handlers according to the behavior defined by the function `calceph_seterrorhandler` (see Section 5.7 [Error functions], page 47).

The python interface does not provide these functions, the listed in the section ‘Multiple file access functions’ must be used.

5.6.1 Thread notes

If the standard I/O functions such as `fread` are not reentrant then the CALCEPH I/O functions using them will not be reentrant either.

If the library was configured with the option `--enable-thread=yes`, these functions use an internal global variable per thread. Each thread could access to different ephemeris file and compute ephemeris data at same time. But each thread must call the function `calceph_sopen` to open ephemeris file even if all threads work on the same file.

If the library was configured with the default option `--enable-thread=no`, these functions use an internal global variable per process and are not thread-safe. If multiple threads are used in the process and call the function `calceph_scompute` at the same time, the caller thread must surround the call to this function with locking primitives, such as `pthread_lock/pthread_unlock` if POSIX Pthreads are used.

5.6.2 Usage

The following examples, that can be found in the directory ‘examples’ of the library sources, show the typical usage of this group of functions. The example in C language is ‘`csingle.c`’. The example in Fortran 2003 language is ‘`f2003single.f`’. The example in Fortran 77/90/95 language is ‘`f77single.f`’.

```
#include <stdio.h>
#include "calceph.h"

/*-----*/
/* main program */
/*-----*/
int main()
{
    int res;
    double AU, EMRAT, GM_Mer;
    double jd0=2451624;
    double dt=0.5E0;
    double PV[6];

    /* open the ephemeris file */
    res = calceph_sopen("example1.dat");
    if (res)
    {
        printf("The ephemeris is already opened\n");
        /* print the values of AU, EMRAT and GM_Mer */
        if (calceph_sgetconstant("AU", &AU))
            printf("AU=%23.16E\n", AU);

        if (calceph_sgetconstant("EMRAT", &EMRAT))
            printf("EMRAT=%23.16E\n", EMRAT);

        if (calceph_sgetconstant("GM_Mer", &GM_Mer))
            printf("GM_Mer=%23.16E\n", GM_Mer);

        /* compute and print the coordinates */
        /* the geocentric moon coordinates in AU and AU/day */
        calceph_scompute(jd0, dt, 10, 3, PV);
        printcoord(PV,"geocentric coordinates of the Moon in AU and AU/day");

        /* the value TT-TDB */
        calceph_scompute(jd0, dt, 16, 0, PV);
        printf("TT-TDB = %23.16E\n", PV[0]);

        /* the heliocentric coordinates of Mars */
        calceph_scompute(jd0, dt, 4, 11, PV);
        printcoord(PV,"heliocentric coordinates of Mars");

        /* close the ephemeris file */
        calceph_sclose();
        printf("The ephemeris is already closed\n");
    }
    else
    {
        printf("The ephemeris can't be opened\n");
    }
    return res;
}
```

5.6.3 Functions

5.6.3.1 calceph_sopen

```
int calceph_sopen ( const char *filename ) [C]
```

```
function calceph_sopen (filename) BIND(C) [Fortran 2003]
    CHARACTER(len=1,kind=C_CHAR), intent(in) :: filename
    INTEGER(C_INT) :: calceph_sopen
```

```
function f90calceph_sopen (filename) [Fortran 77/90/95]
    CHARACTER(len=*), intent(in) :: filename
    INTEGER :: f90calceph_sopen
```

This function opens the file whose pathname is the string pointed to by `filename`, reads the header of this file and associates an ephemeris descriptor to an internal variable. This file must be an ephemeris file.

This file must be compliant to the format specified by the 'original JPL binary', 'INPOP 2.0 binary' or 'SPICE' ephemeris file. At the moment, supported SPICE files are the following :

- text Planetary Constants Kernel (KPL/PCK) files
- binary PCK (DAF/PCK) files.
- binary SPK (DAF/SPK) files containing segments of type 1, 2, 3, 20 , 102, 103 and 120.
- meta kernel (KPL/MK) files.
- frame kernel (KPL/FK) files. Only a basic support is provided.

The function `calceph_sclose` must be called to free allocated memory by this function.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The following example opens the ephemeris file `example1.dat`

```
int res;
res = calceph_sopen("example1.dat");
if (res)
{
    /*
    ... computation ...
    */
    /* close the file */
    calceph_sclose();
}
```

5.6.3.2 calceph_scompute

```
int calceph_scompute ( double JD0, double time, int target, int center,      [C]
                      double PV[6] )
```

```
function calceph_scompute (JD0, time, target, center, PV)                [Fortran 2003]
  BIND(C)
```

```
    REAL(C_DOUBLE), VALUE, intent(in) :: JD0
    REAL(C_DOUBLE), VALUE, intent(in) :: time
    INTEGER(C_INT), VALUE, intent(in) :: target
    INTEGER(C_INT), VALUE, intent(in) :: center
    REAL(C_DOUBLE), intent(out) :: PV(6)
    INTEGER(C_INT) :: calceph_scompute
```

```
function f90calceph_scompute (JD0, time, target,                          [Fortran 77/90/95]
                             center, PV)
```

```
    REAL(8), intent(in) :: JD0
    REAL(8), intent(in) :: time
    INTEGER, intent(in) :: target
    INTEGER, intent(in) :: center
    REAL(8), intent(out) :: PV(6)
    INTEGER :: f90calceph_scompute
```

This function reads, if needed, and interpolates a single object, usually the position and velocity of one body (*target*) relative to another (*center*), from the ephemeris file, previously opened with the function `calceph_sopen`, for the time $JD0+time$ and stores the results to *PV*.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The arguments are :

- | | |
|---------------|---|
| <i>JD0</i> | Integer part of the Julian Date. |
| <i>time</i> | Fraction part of the Julian Date. |
| <i>target</i> | The body or reference point whose coordinates are required (see the list, below). |
| <i>center</i> | The origin of the coordinate system (see the list, below). If <i>target</i> is 15, 16 or 17 (libration, TT-TDB or TCG-TCB), <i>center</i> must be '0'. |
| <i>PV</i> | An array to receive the cartesian position (x,y,z) and the velocity (xdot, ydot, zdot). The position is expressed in Astronomical Unit (au) and the velocity is expressed in Astronomical Unit per day (au/day). If the target is <i>TT-TDB</i> , only the first element of this array will get the result. The time scale transformation TT-TDB is expressed in seconds. If the target is <i>TCG-TCB</i> , only the first element of this array will get the result. The time scale transformation TCG-TCB is expressed in seconds. If the target is <i>Librations</i> , the angles of the librations of the Moon are expressed in radians and their derivatives are expressed in radians per day. |

To get the best precision for the interpolation, the time is splitted in two floating-point numbers. The argument *JD0* should be an integer and *time* should be a fraction of the day. But you may call this function with *time*=0 and *JD0*, the desired time, if you don't take care about precision.

The possible values for *target* and *center* are :

| value | meaning |
|------------------------------------|------------------------|
| 1 | Mercury Barycenter |
| 2 | Venus Barycenter |
| 3 | Earth |
| 4 | Mars Barycenter |
| 5 | Jupiter Barycenter |
| 6 | Saturn Barycenter |
| 7 | Uranus Barycenter |
| 8 | Neptune Barycenter |
| 9 | Pluto Barycenter |
| 10 | Moon |
| 11 | Sun |
| 12 | Solar Sytem Barycenter |
| 13 | Earth-moon Barycenter |
| 15 | Librations |
| 16 | TT-TDB |
| 17 | TCG-TCB |
| asteroid number + CALCEPH_ASTEROID | asteroid |

These accepted values by this function are the same as the value for the JPL function PLEPH, except for the values TT-TDB, TCG-TCB and asteroids.

For example, the value "CALCEPH_ASTEROID+4" for target or center specifies the asteroid Vesta.

The following example prints the heliocentric coordinates of Mars at time=2451624.5 and at 2451624.9

```

int res;
int j;
double jd0=2451624;
double dt1=0.5E0;
double dt2=0.9E0;

double PV[6];
/* open the ephemeris file */
res = calceph_sopen("example1.dat");
if (res)
{
  /* the heliocentric coordinates of Mars */
  calceph_scompute(jd0, dt1, 4, 11, PV);
  for(j=0; j<6; j++) printf("%23.16E\n", PV[j]);

  calceph_scompute(jd0, dt2, 4, 11, PV);
  for(j=0; j<6; j++) printf("%23.16E\n", PV[j]);

  /* close the ephemeris file */
  calceph_sclose();
}

```

5.6.3.3 calceph_sgetconstant

```
int calceph_sgetconstant ( const char* name, double *value ) [C]
```

```
function calceph_sgetconstant (name, value) BIND(C) [Fortran 2003]
  CHARACTER(len=1,kind=C_CHAR), intent(in) :: name
  REAL(C_DOUBLE), intent(out) :: value
  INTEGER(C_INT) :: calceph_sgetconstant
```

```
function f90calceph_sgetconstant (name, value) [Fortran 77/90/95]
  CHARACTER(len=*), intent(in) :: name
  REAL(8), intent(out) :: value
  INTEGER :: f90calceph_sgetconstant
```

This function returns the value associated to the constant *name* in the header of the ephemeris file.

The function `calceph_sopen` must be previously called before. On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The following example prints the value of the astronomical unit stored in the ephemeris file

```
int res;
double UA;
calceph_sopen("example1.dat");
res = calceph_sgetconstant("UA",&UA);
if (res)
{
    printf("astronomical unit=%23.16E\n", UA);
}
```

5.6.3.4 calceph_sgetconstantcount

```
int calceph_sgetconstantcount ( ) [C]
function calceph_sgetconstantcount ( ) BIND(C) [Fortran 2003]
    INTEGER(C_INT) :: calceph_sgetconstantcount
function f90calceph_sgetconstantcount ( ) [Fortran 77/90/95]
    INTEGER :: f90calceph_sgetconstantcount
```

This function returns the number of constants available in the header of the ephemeris file. The function `calceph_sopen` must be previously called before. On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The following example prints the number of available constants stored in the ephemeris file

```
int res, count;
calceph_sopen("example1.dat");
count = calceph_sgetconstantcount();
printf("number of constants : %d\n", count);
```

5.6.3.5 calceph_sgetconstantindex

```
int calceph_sgetconstantindex (int index, char [C]
    name[CALCEPH_MAX_CONSTANTNAME], double *value)
function calceph_sgetconstantindex (index, name, value) [Fortran 2003]
    BIND(C)
    INTEGER(C_INT), VALUE, intent(in) :: index
    CHARACTER(len=1,kind=C_CHAR),
    dimension(CALCEPH_MAX_CONSTANTNAME), intent(out) :: name
    REAL(C_DOUBLE), intent(out) :: value
    INTEGER(C_INT) :: calceph_sgetconstantindex
function f90calceph_sgetconstantindex (index, name, [Fortran 77/90/95]
    value)
    INTEGER(INT), intent(in) :: index
```

```

CHARACTER(len=CALCEPH_MAX_CONSTANTNAME), intent(out) :: name
REAL(8), intent(out) :: value
INTEGER :: f90calceph_sgetconstantindex

```

This function returns the name and its value of the constant available at the specified index in the header of the ephemeris file. The value of *index* must be between 1 and `calceph_sgetconstantcount()`.

If the fortran-77/90/95 interface is used, trailing blanks are added to the name of the constant.

The function `calceph_sopen` must be previously called before.

On exit, it returns 0 if an error occurs, otherwise the return value is a non-zero value.

The following example displays the name of the constants, stored in the ephemeris file, and their values

```

integer res
integer j
real(8) valueconstant
character(len=CALCEPH_MAX_CONSTANTNAME) nameconstant

! open the ephemeris file
res = calceph_sopen("example1.dat"//C_NULL_CHAR)
if (res.eq.1) then

! print the list of the constants
do j=1, calceph_sgetconstantcount()
res = calceph_sgetconstantindex(j,nameconstant,
&                                     valueconstant)
write (*,*) nameconstant,"=",valueconstant
enddo

! close the ephemeris file
call calceph_sclose

```

&■

5.6.3.6 calceph_sclose

```
void calceph_sclose ( ) [C]
```

```
subroutine calceph_sclose ( ) [Fortran 2003]
```

```
subroutine f90calceph_sclose ( ) [Fortran 77/90/95]
```

This function closes the ephemeris data file and frees allocated memory by the function `calceph_sopen`.

5.7 Error functions

The following group of functions defines the behavior of the library when errors occur during the execution.

5.7.1 Usage

The following examples, that can be found in the directory ‘examples’ of the library sources, show the typical usage of this group of functions. The example in C language is ‘`cerror.c`’. The example in Fortran 2003 language is ‘`f2003error.f`’. The example in Fortran 77/90/95 language is ‘`f77error.f`’.

The following example shows how to stop the execution on the error with the Fortran 2003 interface.

```
program f2003error
  USE, INTRINSIC :: ISO_C_BINDING
  use calceph
  implicit none
  integer res
  real(8) jd0
  real(8) dt
  real(8) PV(6)

  ! set the error handler to stop on error
  call calceph_seterrorhandler(2, C_NULL_FUNPTR)

  ! open the ephemeris file
  res = calceph_sopen("example1.dat"//C_NULL_CHAR)
  ...

  stop
end
```

The following example shows how to define a custom error handler function with the Fortran 2003 interface.

```

!/*-----*/
!/* custom error handler */
!/*-----*/
      subroutine myhandler(msg, msglen) BIND(C)
        USE, INTRINSIC :: ISO_C_BINDING
        implicit none
        character(kind=C_CHAR), dimension(msglen), intent(in) :: msg
        integer(C_INT), VALUE, intent(in) :: msglen
        write (*,*) "The calceph calls the function myhandler"
        write (*,*) "The message contains ",msglen," characters"
        write(*,*) "The error message is :"
        write(*,*) "-----"
        write(*,*) msg
        write(*,*) "-----"
        write(*,*) "The error handler returns"
      end

!/*-----*/
!/* main program */
!/*-----*/
      program f2003error
        USE, INTRINSIC :: ISO_C_BINDING
        use calceph
        implicit none
        integer res
        real(8) jd0
        real(8) dt
        real(8) PV(6)

        interface
          subroutine myhandler(msg, msglen) BIND(C)
            USE, INTRINSIC :: ISO_C_BINDING
            implicit none
            character(kind=C_CHAR), dimension(msglen), intent(in) &
&          :: msg
            integer(C_INT), VALUE, intent(in) :: msglen
          end subroutine
        end interface

        ! set the error handler to use my own callback
          call calceph_seterrorhandler(3, c_funloc(myhandler))

        ! open the ephemeris file
          res = calceph_sopen("example1.dat"//C_NULL_CHAR)

          ....

        stop
      end

```

5.7.2 calceph_seterrorhandler

```
void calceph_seterrorhandler (int typehandler, void (*userfunc)(const char*)) [C]
```

```
subroutine calceph_seterrorhandler (typehandler, userfunc) BIND(C) [Fortran 2003]
    TYPE(C_INT), VALUE, intent(in) :: typehandler
    TYPE(C_FUNPTR), VALUE, intent(in) :: userfunc
```

```
subroutine f90calceph_seterrorhandler (typehandler, userfunc) [Fortran 77/90/95]
    INTEGER, intent(in) :: typehandler
    EXTERNAL, intent(in) :: userfunc
```

```
calcephpy.seterrorhandler (typehandler, userfunc) [Python 2/3]
    <type 'int'> typehandler
    <type 'function'> userfunc
```

This function defines the behavior of the library when an error occurs during the execution of the library's functions. This function should be (not mandatory) called before any other functions of the library. The behavior depends on the value of *typehandler*.

The possible values for *typehandler* are :

| value | meaning |
|--------------|--|
| 1 | The library displays a message and continues the execution. The functions return an error code. The python interface raises an exception. This is the default behavior of the library. |
| 2 | The library displays a message and terminates the execution with a system call to the function <code>exit</code> . |
| 3 | The library calls the user function <i>userfunc</i> with the message. |

If the function is called with 1 or 2 for *typehandler*, the parameter *userfunc* must be set to NULL in C, to C_NULL_FUNPTR in Fortran 2003, to 0 in Fortran 77/90/95, or to 0 in Python.

The function *userfunc* must be defined as

```
subroutine userfunc (msg, msglen) BIND(C) [Fortran 2003]
    USE, INTRINSIC :: ISO_C_BINDING
    implicit none
    CHARACTER(kind=C_CHAR), dimension(msglen), intent(in) :: msg
    INTEGER(C_INT), VALUE, intent(in) :: msglen
```

```
subroutine userfunc (msg) BIND(C) [Fortran 77/90/95]
    implicit none
    CHARACTER(len=*), intent(in) :: msg
```

```
def userfunc (msg) [Python 2/3]
    <type 'str'> msg
```

With Fortran 2003 interface, this function must have an explicit interface. With fortran 77/90/95 interface, this function must be declared as `EXTERNAL`.

5.8 Miscellaneous functions

5.8.1 `calceph_getversion_str`

```
void calceph_getversion_str ( char [C]  
    version[CALCEPH_MAX_CONSTANTNAME])  
  
subroutine calceph_getversion_str ( version) BIND(C) [Fortran 2003]  
    CHARACTER(len=1,kind=C_CHAR),  
    dimension(CALCEPH_MAX_CONSTANTNAME), intent(out) :: name  
  
function f90calceph_getversion_str (version) [Fortran 77/90/95]  
    CHARACTER(len=CALCEPH_MAX_CONSTANTNAME), intent(out) :: name  
  
version = calcephpy.getversion_str () [Python 2/3]  
    <type 'str'> version
```

This function returns the version of the CALCEPH Library, as a null-terminated string. If the fortran interface is used, trailing blanks are added to the name `version`.

```
from calcephpy import *  
print('version=', getversion_str())
```

Appendix A NAIF identification numbers

The following predefined values must be used as the target body and origin of the coordinate system with the functions `calceph_compute_unit`, `calceph_orient_unit`, `calceph_compute_order` or `calceph_orient_order` if and only if the value `CALEPH_USE_NAIFID` has been set in the parameter `unit`.

This list is already predefined in :

- interface file `calceph.h` for the C interface.
- interface file `f90calceph.h` for the Fortran 77/90/95 interface.
- module file `calceph.mod` for the Fortran 2003 interface.
- class `NaifId` of the module `calcephpy` for the Python 2/3 interface. Relative to C or Fortran interface, the prefix `NAIFID_` is deleted for the following numbers.

A.1 NAIF identification numbers for the Sun and planetary barycenters

| Predefined Macros | NAIF ID | Name |
|---|---------|-------------------------|
| <code>NAIFID_SOLAR_SYSTEM_BARYCENTER</code> | 0 | Solar System Barycenter |
| <code>NAIFID_MERCURY_BARYCENTER</code> | 1 | Mercury Barycenter |
| <code>NAIFID_VENUS_BARYCENTER</code> | 2 | Venus Barycenter |
| <code>NAIFID_EARTH_MOON_BARYCENTER</code> | 3 | Earth-Moon Barycenter |
| <code>NAIFID_MARS_BARYCENTER</code> | 4 | Mars Barycenter |
| <code>NAIFID_JUPITER_BARYCENTER</code> | 5 | Jupiter Barycenter |
| <code>NAIFID_SATURN_BARYCENTER</code> | 6 | Saturn Barycenter |
| <code>NAIFID_URANUS_BARYCENTER</code> | 7 | Uranus Barycenter |
| <code>NAIFID_NEPTUNE_BARYCENTER</code> | 8 | Neptune Barycenter |
| <code>NAIFID_PLUTO_BARYCENTER</code> | 9 | Pluto Barycenter |
| <code>NAIFID_SUN</code> | 10 | Sun |

A.2 NAIF identification numbers for the Coordinate Time ephemerides

| Predefined Macros | NAIF ID | Name |
|----------------------------------|------------|--|
| <code>NAIFID_TIME_CENTER</code> | 1000000000 | center ID for Coordinate Time ephemerides ¹ |
| <code>NAIFID_TIME_TTMTDB</code> | 1000000001 | Coordinate Time ephemeride TT-TDB ² |
| <code>NAIFID_TIME_TCGMTCB</code> | 1000000002 | Coordinate Time ephemeride TCG-TCB ³ |

A.3 NAIF identification numbers for the planet centers and satellites

| Predefined Macros | NAIF ID | Name |
|-----------------------------|---------|---------|
| <code>NAIFID_MERCURY</code> | 199 | Mercury |

¹ These values must only be used as a center body

² These values must only be used as a target body

³ These values must only be used as a target body

| | | |
|------------------|-----|-----------|
| NAIFID_VENUS | 299 | Venus |
| NAIFID_EARTH | 399 | Earth |
| NAIFID_MOON | 301 | Moon |
| NAIFID_MARS | 499 | Mars |
| NAIFID_PHOBOS | 401 | Phobos |
| NAIFID_DEIMOS | 402 | Deimos |
| NAIFID_JUPITER | 599 | Jupiter |
| NAIFID_IO | 501 | Io |
| NAIFID_EUROPA | 502 | Europa |
| NAIFID_GANYMEDE | 503 | Ganymede |
| NAIFID_CALLISTO | 504 | Callisto |
| NAIFID_AMALTHEA | 505 | Amalthea |
| NAIFID_HIMALIA | 506 | Himalia |
| NAIFID_ELARA | 507 | Elara |
| NAIFID_PASIPHAE | 508 | Pasiphae |
| NAIFID_SINOPE | 509 | Sinope |
| NAIFID_LYSITHEA | 510 | Lysithea |
| NAIFID_CARME | 511 | Carme |
| NAIFID_ANANKE | 512 | Ananke |
| NAIFID_LEDA | 513 | Leda |
| NAIFID_THEBE | 514 | Thebe |
| NAIFID_ADRASTEIA | 515 | Adrasteia |
| NAIFID_METIS | 516 | Metis |
| NAIFID_CALLIRHOE | 517 | Callirhoe |
| NAIFID_THEMISTO | 518 | Themisto |
| NAIFID_MAGACLITE | 519 | Magacite |
| NAIFID_TAYGETE | 520 | Taygete |
| NAIFID_CHALDENE | 521 | Chaldene |
| NAIFID_HARPALYKE | 522 | Harpalyke |
| NAIFID_KALYKE | 523 | Kalyke |
| NAIFID_IOCASTE | 524 | Iocaste |
| NAIFID_ERINOME | 525 | Erinome |
| NAIFID_ISONOE | 526 | Isonoe |
| NAIFID_PRAXIDIKE | 527 | Praxidike |
| NAIFID_AUTONOE | 528 | Autonoe |
| NAIFID_THYONE | 529 | Thyone |
| NAIFID_HERMIPPE | 530 | Hermippe |
| NAIFID_AITNE | 531 | Aitne |
| NAIFID_EURYDOME | 532 | Eurydome |
| NAIFID_EUANTHE | 533 | Euanthe |
| NAIFID_EUPORIE | 534 | Euporie |
| NAIFID_ORTHOSIE | 535 | Orthosie |
| NAIFID_SPONDE | 536 | Sponde |
| NAIFID_KALE | 537 | Kale |

| | | |
|-------------------|-----|------------|
| NAIFID_PASITHEE | 538 | Pasithee |
| NAIFID_HEGEMONE | 539 | Hegemone |
| NAIFID_MNEME | 540 | Mneme |
| NAIFID_AOEDE | 541 | Aoede |
| NAIFID_THELXINOE | 542 | Thelxinoe |
| NAIFID_ARCHE | 543 | Arche |
| NAIFID_KALLICHORE | 544 | Kallichore |
| NAIFID_HELIKE | 545 | Helike |
| NAIFID_CARPO | 546 | Carpo |
| NAIFID_EUKELADE | 547 | Eukelade |
| NAIFID_CYLLENE | 548 | Cyllene |
| NAIFID_KORE | 549 | Kore |
| NAIFID_HERSE | 550 | Herse |
| NAIFID_SATURN | 699 | Saturn |
| NAIFID_MIMAS | 601 | Mimas |
| NAIFID_ENCELADUS | 602 | Enceladus |
| NAIFID_TETHYS | 603 | Tethys |
| NAIFID_DIONE | 604 | Dione |
| NAIFID_RHEA | 605 | Rhea |
| NAIFID_TITAN | 606 | Titan |
| NAIFID_HYPERION | 607 | Hyperion |
| NAIFID_IAPETUS | 608 | Iapetus |
| NAIFID_PHOEBE | 609 | Phoebe |
| NAIFID_JANUS | 610 | Janus |
| NAIFID_EPIMETHEUS | 611 | Epimetheus |
| NAIFID_HELENE | 612 | Helene |
| NAIFID_TELESTO | 613 | Telesto |
| NAIFID_CALYPSO | 614 | Calypso |
| NAIFID_ATLAS | 615 | Atlas |
| NAIFID_PROMETHEUS | 616 | Prometheus |
| NAIFID_PANDORA | 617 | Pandora |
| NAIFID_PAN | 618 | Pan |
| NAIFID_YMIR | 619 | Ymir |
| NAIFID_PAALIAQ | 620 | Paaliaq |
| NAIFID_TARVOS | 621 | Tarvos |
| NAIFID_IJIRAQ | 622 | Ijiraq |
| NAIFID_SUTTUNGR | 623 | Suttungr |
| NAIFID_KIVIUQ | 624 | Kiviuq |
| NAIFID_MUNDILFARI | 625 | Mundilfari |
| NAIFID_ALBIORIX | 626 | Albiorix |
| NAIFID_SKATHI | 627 | Skathi |
| NAIFID_ERRIAPUS | 628 | Erriapus |
| NAIFID_SIARNAQ | 629 | Siarnaq |
| NAIFID_THRYMR | 630 | Thrymr |
| NAIFID_NARVI | 631 | Narvi |
| NAIFID_METHONE | 632 | Methone |

| | | |
|-------------------|-----|------------|
| NAIFID_PALLENE | 633 | Pallene |
| NAIFID_POLYDEUCES | 634 | Polydeuces |
| NAIFID_DAPHNIS | 635 | Daphnis |
| NAIFID_AEGIR | 636 | Aegir |
| NAIFID_BEBHIONN | 637 | Bebhionn |
| NAIFID_BERGELMIR | 638 | Bergelmir |
| NAIFID_BESTLA | 639 | Bestla |
| NAIFID_FARBAUTI | 640 | Farbauti |
| NAIFID_FENRIR | 641 | Fenrir |
| NAIFID_FORNJOT | 642 | Fornjot |
| NAIFID_HATI | 643 | Hati |
| NAIFID_HYROKKIN | 644 | Hyrokkin |
| NAIFID_KARI | 645 | Kari |
| NAIFID_LOGE | 646 | Loge |
| NAIFID_SKOLL | 647 | Skoll |
| NAIFID_SURTUR | 648 | Surtur |
| NAIFID_ANTHE | 649 | Anthe |
| NAIFID_JARNSAXA | 650 | Jarnsaxa |
| NAIFID_GREIP | 651 | Greip |
| NAIFID_TARQEQ | 652 | Tarqeq |
| NAIFID_AEGAEON | 653 | Aegaeon |
| NAIFID_URANUS | 799 | Uranus |
| NAIFID_ARIEL | 701 | Ariel |
| NAIFID_UMBRIEL | 702 | Umbriel |
| NAIFID_TITANIA | 703 | Titania |
| NAIFID_OBERON | 704 | Oberon |
| NAIFID_MIRANDA | 705 | Miranda |
| NAIFID_CORDELIA | 706 | Cordelia |
| NAIFID_OPHELIA | 707 | Ophelia |
| NAIFID_BIANCA | 708 | Bianca |
| NAIFID_CRESSIDA | 709 | Cressida |
| NAIFID_DESDEMONA | 710 | Desdemona |
| NAIFID_JULIET | 711 | Juliet |
| NAIFID_PORTIA | 712 | Portia |
| NAIFID_ROSALIND | 713 | Rosalind |
| NAIFID_BELINDA | 714 | Belinda |
| NAIFID_PUCK | 715 | Puck |
| NAIFID_CALIBAN | 716 | Caliban |
| NAIFID_SYCORAX | 717 | Sycorax |
| NAIFID_PROSPERO | 718 | Prospero |
| NAIFID_SETEBOS | 719 | Setebos |
| NAIFID_STEPHANO | 720 | Stephano |
| NAIFID_TRINCULO | 721 | Trinculo |
| NAIFID_FRANCISCO | 722 | Francisco |
| NAIFID_MARGARET | 723 | Margaret |
| NAIFID_FERDINAND | 724 | Ferdinand |

| | | |
|------------------|-----|-----------|
| NAIFID_PERDITA | 725 | Perdita |
| NAIFID_MAB | 726 | Mab |
| NAIFID_CUPID | 727 | Cupid |
| NAIFID_NEPTUNE | 899 | Neptune |
| NAIFID_TRITON | 801 | Triton |
| NAIFID_NEREID | 802 | Nereid |
| NAIFID_NAIAD | 803 | Naiad |
| NAIFID_THALASSA | 804 | Thalassa |
| NAIFID_DESPINA | 805 | Despina |
| NAIFID_GALATEA | 806 | Galatea |
| NAIFID_LARISSA | 807 | Larissa |
| NAIFID_PROTEUS | 808 | Proteus |
| NAIFID_HALIMEDE | 809 | Halimede |
| NAIFID_PSAMATHE | 810 | Psamathe |
| NAIFID_SAO | 811 | Sao |
| NAIFID_LAOMEDEIA | 812 | Laomedeia |
| NAIFID_NESO | 813 | Neso |
| NAIFID_PLUTO | 999 | Pluto |
| NAIFID_CHARON | 901 | Charon |
| NAIFID_NIX | 902 | Nix |
| NAIFID_HYDRA | 903 | Hydra |

A.4 NAIF identification numbers for the comets

| Predefined Macros | NAIF ID | Name |
|------------------------------|----------------|-----------------------|
| NAIFID_AREND | 1000001 | Arend |
| NAIFID_AREND_RIGAUX | 1000002 | Arend-Rigaux |
| NAIFID_ASHBROOK_JACKSON | 1000003 | Ashbrook-Jackson |
| NAIFID_BOETHIN | 1000004 | Boethin |
| NAIFID_BORRELLY | 1000005 | Borrelly |
| NAIFID_BOWELL_SKIFF | 1000006 | Bowell-Skiff |
| NAIFID_BRADFIELD | 1000007 | Bradfield |
| NAIFID_BROOKS_2 | 1000008 | Brooks 2 |
| NAIFID_BRORSEN_METCALF | 1000009 | Brorsen-Metcalf |
| NAIFID_BUS | 1000010 | Bus |
| NAIFID_CHERNYKH | 1000011 | Chernykh |
| NAIFID_CHURYUMOV_GERASIMENKO | 1000012 | Churyumov-Gerasimenko |
| NAIFID_CIFFREO | 1000013 | Ciffreo |
| NAIFID_CLARK | 1000014 | Clark |
| NAIFID_COMAS_SOLA | 1000015 | Comas Sola |
| NAIFID_CROMMELIN | 1000016 | Crommelin |
| NAIFID_D__ARREST | 1000017 | DDrrest |
| NAIFID_DANIEL | 1000018 | Daniel |
| NAIFID_DE_VICO_SWIFT | 1000019 | De Vico-Swift |
| NAIFID_DENNING_FUJIKAWA | 1000020 | Denning-Fujikawa |

| | | |
|--------------------------------|---------|-----------------------------|
| NAIFID_DU_TOIT_1 | 1000021 | Du Toit 1 |
| NAIFID_DU_TOIT_HARTLEY | 1000022 | Du Toit-Hartley |
| NAIFID_DUTOIT_NEUJMIN_DELPORTE | 1000023 | Dutoit-Neujmin-Delporte |
| NAIFID_DUBIAGO | 1000024 | Dubiago |
| NAIFID_ENCKE | 1000025 | Encke |
| NAIFID_FAYE | 1000026 | Faye |
| NAIFID_FINLAY | 1000027 | Finlay |
| NAIFID_FORBES | 1000028 | Forbes |
| NAIFID_GEHRELS_1 | 1000029 | Gehrels 1 |
| NAIFID_GEHRELS_2 | 1000030 | Gehrels 2 |
| NAIFID_GEHRELS_3 | 1000031 | Gehrels 3 |
| NAIFID_GIACOBINI_ZINNER | 1000032 | Giacobini-Zinner |
| NAIFID_GICLAS | 1000033 | Giclas |
| NAIFID_GRIGG_SKJELLERUP | 1000034 | Grigg-Skjellerup |
| NAIFID_GUNN | 1000035 | Gunn |
| NAIFID_HALLEY | 1000036 | Halley |
| NAIFID_HANEDA_CAMPOS | 1000037 | Haneda-Campos |
| NAIFID_HARRINGTON | 1000038 | Harrington |
| NAIFID_HARRINGTON_AHELL | 1000039 | Harrington-Abell |
| NAIFID_HARTLEY_1 | 1000040 | Hartley 1 |
| NAIFID_HARTLEY_2 | 1000041 | Hartley 2 |
| NAIFID_HARTLEY_IRAS | 1000042 | Hartley-Iras |
| NAIFID_HERSCHEL_RIGOLLET | 1000043 | Herschel-Rigollet |
| NAIFID_HOLMES | 1000044 | Holmes |
| NAIFID_HONDA_MRKOS_PAJDUSAKOVA | 1000045 | Honda-Mrkos- Pajdusakova |
| NAIFID_HOWELL | 1000046 | Howell |
| NAIFID_IRAS | 1000047 | Iras |
| NAIFID_JACKSON_NEUJMIN | 1000048 | Jackson-Neujmin |
| NAIFID_JOHNSON | 1000049 | Johnson |
| NAIFID_KEARNS_KWEE | 1000050 | Kearns-Kwee |
| NAIFID_KLEMOLA | 1000051 | Klemola |
| NAIFID_KOHOUTEK | 1000052 | Kohoutek |
| NAIFID_KOJIMA | 1000053 | Kojima |
| NAIFID_KOPFF | 1000054 | Kopff |
| NAIFID_KOWAL_1 | 1000055 | Kowal 1 |
| NAIFID_KOWAL_2 | 1000056 | Kowal 2 |
| NAIFID_KOWAL_MRKOS | 1000057 | Kowal-Mrkos |
| NAIFID_KOWAL_VAVROVA | 1000058 | Kowal-Vavrova |
| NAIFID_LONGMORE | 1000059 | Longmore |
| NAIFID_LOVAS_1 | 1000060 | Lovas 1 |
| NAIFID_MACHHOLZ | 1000061 | Machholz |
| NAIFID_MAURY | 1000062 | Maury |
| NAIFID_NEUJMIN_1 | 1000063 | Neujmin 1 |
| NAIFID_NEUJMIN_2 | 1000064 | Neujmin 2 |
| NAIFID_NEUJMIN_3 | 1000065 | Neujmin 3 |

| | | |
|--------------------------------|---------|---------------------------|
| NAIFID_OLBERS | 1000066 | Olbers |
| NAIFID_PETERS_HARTLEY | 1000067 | Peters-Hartley |
| NAIFID_PONS_BROOKS | 1000068 | Pons-Brooks |
| NAIFID_PONS_WINNECKE | 1000069 | Pons-Winnecke |
| NAIFID_REINMUTH_1 | 1000070 | Reinmuth 1 |
| NAIFID_REINMUTH_2 | 1000071 | Reinmuth 2 |
| NAIFID_RUSSELL_1 | 1000072 | Russell 1 |
| NAIFID_RUSSELL_2 | 1000073 | Russell 2 |
| NAIFID_RUSSELL_3 | 1000074 | Russell 3 |
| NAIFID_RUSSELL_4 | 1000075 | Russell 4 |
| NAIFID_SANGUIN | 1000076 | Sanguin |
| NAIFID_SCHAUMASSE | 1000077 | Schaumasse |
| NAIFID_SCHUSTER | 1000078 | Schuster |
| NAIFID_SCHWASSMANN_WACHMANN_1 | 1000079 | Schwassmann-Wachmann 1 |
| NAIFID_SCHWASSMANN_WACHMANN_2 | 1000080 | Schwassmann-Wachmann 2 |
| NAIFID_SCHWASSMANN_WACHMANN_3 | 1000081 | Schwassmann-Wachmann 3 |
| NAIFID_SHAJN_SCHALDACH | 1000082 | Shajn-Schaldach |
| NAIFID_SHOEMAKER_1 | 1000083 | Shoemaker 1 |
| NAIFID_SHOEMAKER_2 | 1000084 | Shoemaker 2 |
| NAIFID_SHOEMAKER_3 | 1000085 | Shoemaker 3 |
| NAIFID_SINGER_BREWSTER | 1000086 | Singer-Brewster |
| NAIFID_SLAUGHTER_BURNHAM | 1000087 | Slaughter-Burnham |
| NAIFID_SMIRNOVA_CHERNYKH | 1000088 | Smirnova-Chernykh |
| NAIFID_STEPHAN_OTERMA | 1000089 | Stephan-Oterma |
| NAIFID_SWIFT_GEHRELS | 1000090 | Swift-Gehrels |
| NAIFID_TAKAMIZAWA | 1000091 | Takamizawa |
| NAIFID_TAYLOR | 1000092 | Taylor |
| NAIFID_TEMPEL_1 | 1000093 | Tempel 1 |
| NAIFID_TEMPEL_2 | 1000094 | Tempel 2 |
| NAIFID_TEMPEL_TUTTLE | 1000095 | Tempel-Tuttle |
| NAIFID_TRITTON | 1000096 | Tritton |
| NAIFID_TSUCHINSHAN_1 | 1000097 | Tsuchinshan 1 |
| NAIFID_TSUCHINSHAN_2 | 1000098 | Tsuchinshan 2 |
| NAIFID_TUTTLE | 1000099 | Tuttle |
| NAIFID_TUTTLE_GIACOBINI_KRESAK | 1000100 | Tuttle-Giacobini-Kresak |
| NAIFID_VAISALA_1 | 1000101 | Vaisala 1 |
| NAIFID_VAN_BIESBROECK | 1000102 | Van Biesbroeck |
| NAIFID_VAN_HOUTEN | 1000103 | Van Houten |
| NAIFID_WEST_KOHOUTEK_IKEMURA | 1000104 | West-Kohoutek-Ikemura |
| NAIFID_WHIPPLE | 1000105 | Whipple |
| NAIFID_WILD_1 | 1000106 | Wild 1 |
| NAIFID_WILD_2 | 1000107 | Wild 2 |
| NAIFID_WILD_3 | 1000108 | Wild 3 |

| | | |
|-----------------------------|---------|----------------------|
| NAIFID_WIRTANEN | 1000109 | Wirtanen |
| NAIFID_WOLF | 1000110 | Wolf |
| NAIFID_WOLF_HARRINGTON | 1000111 | Wolf-Harrington |
| NAIFID_LOVAS_2 | 1000112 | Lovas 2 |
| NAIFID_URATA_NIIJIMA | 1000113 | Urata-Niijima |
| NAIFID_WISEMAN_SKIFF | 1000114 | Wiseman-Skiff |
| NAIFID_HELIN | 1000115 | Helin |
| NAIFID_MUELLER | 1000116 | Mueller |
| NAIFID_SHOEMAKER_HOLT_1 | 1000117 | Shoemaker-Holt 1 |
| NAIFID_HELIN_ROMAN_CROCKETT | 1000118 | Helin-Roman-Crockett |
| NAIFID_HARTLEY_3 | 1000119 | Hartley 3 |
| NAIFID_PARKER_HARTLEY | 1000120 | Parker-Hartley |
| NAIFID_HELIN_ROMAN_ALU_1 | 1000121 | Helin-Roman-Alu 1 |
| NAIFID_WILD_4 | 1000122 | Wild 4 |
| NAIFID_MUELLER_2 | 1000123 | Mueller 2 |
| NAIFID_MUELLER_3 | 1000124 | Mueller 3 |
| NAIFID_SHOEMAKER_LEVY_1 | 1000125 | Shoemaker-Levy 1 |
| NAIFID_SHOEMAKER_LEVY_2 | 1000126 | Shoemaker-Levy 2 |
| NAIFID_HOLT_OLMSTEAD | 1000127 | Holt-Olmstead |
| NAIFID_METCALF_BREWINGTON | 1000128 | Metcalf-Brewington |
| NAIFID_LEVY | 1000129 | Levy |
| NAIFID_SHOEMAKER_LEVY_9 | 1000130 | Shoemaker-Levy 9 |
| NAIFID_HYAKUTAKE | 1000131 | Hyakutake |
| NAIFID_HALE_BOPP | 1000132 | Hale-Bopp |

Appendix B Release notes

- Version 1.0.0
Initial release.
- Version 1.0.1
Support the large ephemeris files (>2GB) on 32-bit operating systems.
Fix the documentation of the function `f90calceph_sopen`.
Fix an invalid open mode on Windows operating systems.
Report accurately the I/O errors.
- Version 1.0.2
Fix memory leaks in the fortran-90 interface.
- Version 1.0.3
Support the JPL ephemeris file DE423.
- Version 1.1.0
Add the function `calceph_seterrorhandler` for the custom error handlers.
- Version 1.1.1
Fix a compilation error in `util.h` and a warning with the sun studio compilers.
- Version 1.1.2
Fix a compilation warning with oracle studio compiler 12.
Fix a bug with gcc on solaris in 64 bit mode.
Fix the copyright statements.
- Version 1.2.0
Change the licensing : triple licenses to support integration in BSD software.
Remove explicit dependencies on the record size for DExxx.
- Version 2.0.0
Fix memory leaks in `calceph_open` when errors occur.
Support INPOP file format 2.0 (supports TCB ephemeris file and add asteroids in the binary file).
Add the function `calceph_open_array` and `calceph_compute_unit`.
Add the tools `calceph_inspector` to show details about ephemeris file.
Support SPICE kernel file (SPK with segment 2 or 3, text and binary PCK, meta

kernel, basic frame kernel).
Improve the performances.
Correct the Fortran 2003 interface for `calceph_sgetconstantindex`.
Add the constant 17 to get TCG-TCB from TCB ephemeris file.

- Version 2.1.0
Fix a bug in `calceph_getconstant` and `calceph_sgetconstant` with an invalid name
Remove the null character in the name of the constant returned by the function
(f90)`calceph_(s)getconstantindex` when the Fortran interface is used.

- Version 2.2.0
Support the new segments 20, 102, 103 and 120 in the SPICE kernel file.
Support the NAIF identification numbers.
Add the functions `calceph_orient_unit` and `calceph_prefetch`.

- Version 2.2.1
Remove debug informations that are printed when errors occur in `calceph_?compute_???`.
Support the Portland compilers.
Fix the info documentation.
Report an error if no asteroid is available in an ephemeris file with the INPOP file format (instead of a crash).

- Version 2.2.2
Support the compilation in the standard C89.

- Version 2.2.3
Add the predefined constants for `calceph` version in the fortran interface.
Fix the build chain if `calceph` is compiled from another folder.

- Version 2.2.4
Update the version number of the dynamic library.

- Version 2.2.5
Fix an incorrect result if `CALCEPH_UNIT_DAY` is provided to `calceph_compute_unit`
and the target is TCG-TCB or TT-TDB.
Support the numerical constants declared without parenthesis in the text kernel files
(.tpc).
Support the segment 1, 12 and 13 in the SPICE kernel file.

- Version 2.3.0
 - Add the python interface compliant with python 2.6+ and python 3.
 - Add the preprocessor macro `CALCEPH_VERSION_STRING`.
 - Add the function `calceph_getversion_str`.
 - Add the function `calceph_compute_order` and `calceph_orient_order`.
 - Fix the return value of the functions `calceph_compute_xxx` when the reference frame is not available in the spice kernel files. The function should produce an error and return 0 (before the function performed no computation but it returned 1).

- Version 2.3.1
 - Fix the compilation warnings with the Pelles compiler.
 - Fix the compilation warnings with the C89 standard.
 - Fix the compilation warnings with the GNU C compilers.
 - Fix the documentation for the constant `CALCEPH_VERSION_STRING`.

- Version 2.3.2
 - Fix the return value of the function `calceph_getconstant` if the constant name "AU" or "EMRAT" is not available.
 - Fix the documentation for the fortran interface of the function `calceph_prefetch`.
 - Fix the return value of the function `calceph_orient_unit` if the frame SPICE kernel file is missing.